## **County of Santa Clara**

### Department of Environmental Health

### **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



# **OFFICIAL INSPECTION REPORT**

Facility FA0209568 - HAO HAO PHO		Site Address 460 E WILLIAM S	T, SAN JOSE, C	CA 95112			ion Date 4/2023			Color & Sco	
Program PR0306310 - FOOD PREP / F	OOD SVC OP 0-5 EMPLOYEES RC 3	3 - FP11	Owner Name HAO VILL				<b>ion Time</b> 0 - 13:30			EE	
Inspected By GUILLERMO VAZQUEZ	Inspection Type ROUTINE INSPECTION	Consent By HAO T.		FSC Hao T.					Ç	98	
	ł			3/23/27	INI		UT		N/O		DDI
RISK FACTORS AND IN					IN	Major	Minor	COS/SA	N/U	N/A	PBI
	edge; food safety certification				X						S S
	reporting/restriction/exclusion				X						3
K03 No discharge from eyes											
K04 Proper eating, tasting, d	-				X						
	vashed; gloves used properly				X						6
K06 Adequate handwash fac					X						S
K07 Proper hot and cold hold					Х						
	control; procedures & records								X	X	
K09 Proper cooling methods					V				Х		
K10 Proper cooking time & te	-				Х				V		
K11 Proper reheating proceed	5				V				X		
K12 Returned and reservice					X						
κ13 Food in good condition,											
K14 Food contact surfaces c					X						S
K15 Food obtained from app					Х					X	
K16 Compliance with shell st										X	
κ17 Compliance with Gulf O										X	
K18 Compliance with variance										X	
K19 Consumer advisory for r										X	
	cilities/schools: prohibited foods no	t being offered								Х	
K21 Hot and cold water avail					X						
K22 Sewage and wastewate					X						
K23 No rodents, insects, bird	is, or animals				Х				-		
GOOD RETAIL PRACT										OUT	COS
K24 Person in charge preser											
K25 Proper personal cleanlin											
K26 Approved thawing metho											
K27 Food separated and pro											
K28 Fruits and vegetables wa											
K29 Toxic substances proper	-										
K30 Food storage: food stora	0										
K31 Consumer self service d											
K32 Food properly labeled an											
K33 Nonfood contact surface					_						_
K34 Warewash facilities: inst	· · ·	en e citu									
	proved, in good repair, adequate ca	араску			_						_
K36 Equipment, utensils, line	ins: Proper storage and use										
K37 Vending machines	discussion and another state				_						_
	nting; designated areas, use										
					_						_
K39 Thermometers provided											
<ul><li>K39 Thermometers provided</li><li>K40 Wiping cloths: properly u</li></ul>	used, stored	low dovices									
<ul><li>K39 Thermometers provided</li><li>K40 Wiping cloths: properly t</li><li>K41 Plumbing approved, inst</li></ul>	used, stored alled, in good repair; proper backfl	low devices									
<ul> <li>K39 Thermometers provided</li> <li>K40 Wiping cloths: properly t</li> <li>K41 Plumbing approved, inst</li> <li>K42 Garbage &amp; refuse properties</li> </ul>	used, stored alled, in good repair; proper backfl rly disposed; facilities maintained	low devices									
<ul> <li>K39 Thermometers provided</li> <li>K40 Wiping cloths: properly t</li> <li>K41 Plumbing approved, inst</li> <li>K42 Garbage &amp; refuse prope</li> <li>K43 Toilet facilities: properly</li> </ul>	used, stored alled, in good repair; proper backfl rly disposed; facilities maintained constructed, supplied, cleaned		in nor fr								
<ul> <li>K39 Thermometers provided</li> <li>K40 Wiping cloths: properly u</li> <li>K41 Plumbing approved, inst</li> <li>K42 Garbage &amp; refuse prope</li> <li>K43 Toilet facilities: properly</li> <li>K44 Premises clean, in good</li> </ul>	used, stored talled, in good repair; proper backfl rly disposed; facilities maintained constructed, supplied, cleaned repair; Personal/chemical storage		in-proofing								
<ul> <li>K39 Thermometers provided</li> <li>K40 Wiping cloths: properly u</li> <li>K41 Plumbing approved, inst</li> <li>K42 Garbage &amp; refuse prope</li> <li>K43 Toilet facilities: properly</li> <li>K44 Premises clean, in good</li> <li>K45 Floor, walls, ceilings: bu</li> </ul>	used, stored talled, in good repair; proper backfl rly disposed; facilities maintained constructed, supplied, cleaned repair; Personal/chemical storage ilt,maintained, clean		in-proofing							X	
<ul> <li>K39 Thermometers provided</li> <li>K40 Wiping cloths: property u</li> <li>K41 Plumbing approved, inst</li> <li>K42 Garbage &amp; refuse prope</li> <li>K43 Toilet facilities: property</li> <li>K44 Premises clean, in good</li> <li>K45 Floor, walls, ceilings: bu</li> </ul>	used, stored talled, in good repair; proper backfl rrly disposed; facilities maintained constructed, supplied, cleaned repair; Personal/chemical storage ilt,maintained, clean nome/living/sleeping quarters		in-proofing							 X	

# **OFFICIAL INSPECTION REPORT**

Facility FA0209568 - HAO HAO PHO	Site Address 460 E WILLIAM ST, SAN JOSE, CA 95112	Inspection 01/24/20	
Program PR0306310 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	B - FP11 HAO VILLAGE LLC	Inspection 12:00 -	
K48 Plan review			
K49 Permits available			
K58 Placard properly displayed/posted			

#### **Comments and Observations**

#### **Major Violations**

No major violations were observed during this inspection.

#### **Minor Violations**

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Grease build up on the walls next to the deep fryer/hand wash station. [CA] Walls and/or floors in food preparation area shall be kept clean.

#### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

#### **Measured Observations**

Item	Location	Measurement	Comments
Eggs	Under counter refrigeration	37.00 Fahrenheit	
Milk	Reach in #3	39.00 Fahrenheit	
Bean sprouts	Ice bath	40.00 Fahrenheit	
Raw steak	Reach in #2	39.00 Fahrenheit	
Shelled eggs	Reach in	39.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Raw chicken	Walk in	39.00 Fahrenheit	
Imitation crab	Prep table	39.00 Fahrenheit	
Warm water	Restroom	100.00 Fahrenheit	
Raw shrimp	Under counter refrigeraiton #2	39.00 Fahrenheit	
Pho soup	Walk in	39.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Pho broth	Cook line	163.00 Fahrenheit	
Ambient	Reach in freezer	5.00 Fahrenheit	
Cooked steak	Prep table #2	38.00 Fahrenheit	
Pork	Cook line	202.00 Fahrenheit	Cooking.
Tofu	Reach in #3	39.00 Fahrenheit	
Hot water	3-Compartment	120.00 Fahrenheit	

### **Overall Comments:**

Provided cold holding decals and hand wash.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>2/7/2023</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# **OFFICIAL INSPECTION REPORT**

Facility FA02		Site Address 460 E WILLIAM ST, SAN JOSE, C/	A 95112	Inspection Date 01/24/2023 Inspection Time 12:00 - 13:30	
Progra PR03	m 306310 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	- FP11 Owner Name HAO VILLA			
egeno	<u>1:</u>		0		
;A]	Corrective Action	$\sim$			
OS]	Corrected on Site		Nac		
]	Needs Improvement				
IA]	Not Applicable				
10]	Not Observed	Received By:	Hao T.		
BI]	Performance-based Inspection		Owner		
HF]	Potentially Hazardous Food	Signed On:	January 24, 2023		
IC]	Person in Charge				
PM]	Part per Million				
5]	Satisfactory				
[A]	Suitable Alternative				
	Times as a Dublic Haalth Control				

[TPHC] Time as a Public Health Control