

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0311680 - CREPE SHIBUYA		Site Address 76 RANCH DR, MILPITAS, CA 95035		Inspection Date 07/08/2026		Placard Color & Score GREEN 91		
Program PR0456360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12			Owner Name SUEYAMA INC		Inspection Time 14:30 - 16:00			
Inspected By LAWRENCE DODSON		Inspection Type ROUTINE INSPECTION		Consent By EDWARD LAU				FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations	X						
K18	Compliance with variance/ROP/HACCP Plan			X				
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0311680 - CREPE SHIBUYA	Site Address 76 RANCH DR, MILPITAS, CA 95035	Inspection Date 07/08/2026
Program PR0456360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12	Owner Name SUEYAMA INC	Inspection Time 14:30 - 16:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K18 - 3 Points - Non-compliance with variance/ROP/HACCP Plan; 114057, 114057.1, 114417.6, 114419

Inspector Observations: Reduced oxygen packaging conducted on site. No HACCP available.

[CA] The food facility shall obtain a HACCP plan approval prior to packaging PHFs using a reduced-oxygen packaging method.

[SA] ROP packaged date marked for use at 48hrs.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack of test strips for measuring proper sanitizer concentration.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Non commercial mixer found at preparation table.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

Equipment and utensils shall be designed and constructed to be durable and retain characteristic qualities under normal use conditions.

unapproved ROP sealer found at facility.

[CA] All utensils and equipment shall be approved, installed properly, & meet applicable standards.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Commercial table top fryer is not placed under ventilation hood.

[CA] Provide approved exhaust hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
cheese	standing refrigerator	34.00 Fahrenheit	
raw beef	standing refrigerator	36.00 Fahrenheit	
milk	standing refrigerator	36.00 Fahrenheit	
sanitizer concentration	sanitizer bucket	200.00 PPM	quaternary ammonium
standing refrigerator	storage	34.00 Fahrenheit	
water	3 compartment sink	120.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	

Overall Comments:

Facility operation will be evaluated for change in permit category due to preparation of potentially hazardous food (RC2).

beef, cooked rice, eel

OFFICIAL INSPECTION REPORT

Facility FA0311680 - CREPE SHIBUYA	Site Address 76 RANCH DR, MILPITAS, CA 95035	Inspection Date 07/08/2026
Program PR0456360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12	Owner Name SUEYAMA INC	Inspection Time 14:30 - 16:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/22/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Edward Lau
pic
Signed On: July 08, 2026