

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212194 - ADRIAN C WILCOX HIGH SCHOOL		Site Address 3250 MONROE ST, SANTA CLARA, CA 95051		Inspection Date 03/19/2024		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">97</div>		
Program PR0300808 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23			Owner Name SANTA CLARA UNIFIED SCH		Inspection Time 10:45 - 11:50			
Inspected By THAO HA		Inspection Type ROUTINE INSPECTION		Consent By JORGE HUAPAYA				FSC Cristian Escalante 4/27/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X	X			
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0212194 - ADRIAN C WILCOX HIGH SCHOOL		Site Address 3250 MONROE ST, SANTA CLARA, CA 95051	Inspection Date 03/19/2024
Program PR0300808 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23		Owner Name SANTA CLARA UNIFIED SCHOOL DIS	Inspection Time 10:45 - 11:50
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured to be less than 100F at 3-comp sink. Handwash sinks measured to be at 101F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks. Ensure hot water can be maintained at 120F at 3-comp sink.

[COS] Hot water was returned to 3-comp sink and measured to be 105F.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Sandwich	Grab n go cooler in side service line	41.00 Fahrenheit	
Quat ammonia	3-comp sink	200.00 Fahrenheit	
Sliced cheese	Walk in cooler	41.00 Fahrenheit	
Ambient temepature	Service line milk cooler	40.00 Fahrenheit	
Rinse cycle	Upright dishwasher	160.00 Fahrenheit	
Ambient temepature	service line milk cooler	38.00 Fahrenheit	
Burger	Upright warmer in kitchen	144.00 Fahrenheit	
Cream cheese	Walk in cooler	40.00 Fahrenheit	
Quat ammonia	Sanitizer bucket	200.00 Fahrenheit	
Fish	Out of oven	201.00 Fahrenheit	
Milk	Delivery	45.00 Fahrenheit	
Sandwich	Grab n go cooler in side service line	41.00 Fahrenheit	
Pizza	Upright warmer in maint service line	165.00 Fahrenheit	
Burger	Upright warmer in side service line	172.00 Fahrenheit	
Pasta	Out of oven	198.00 Fahrenheit	Per employee pasta is reheated for hot holding
Pasta	Upright warmer in kitchen	159.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/2/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0212194 - ADRIAN C WILCOX HIGH SCHOOL	Site Address 3250 MONROE ST, SANTA CLARA, CA 95051	Inspection Date 03/19/2024
Program PR0300808 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name SANTA CLARA UNIFIED SCHOOL DIS	Inspection Time 10:45 - 11:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Jorge Huapaya
PIC

Signed On: March 19, 2024