

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0264084 - ADAMSON'S FRENCH DIP		Site Address 806 W EL CAMINO REAL, SUNNYVALE, CA 94087		Inspection Date 05/06/2026		Placard Color & Score GREEN 82		
Program PR0389232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name ADAMSON'S FRENCH DIP LL		Inspection Time 12:40 - 13:45			
Inspected By KAYA ALASSFAR		Inspection Type ROUTINE INSPECTION		Consent By JACK				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				N
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures		X					N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		N
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				N
K15	Food obtained from approved source							
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		X
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0264084 - ADAMSON'S FRENCH DIP	Site Address 806 W EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 05/06/2026
Program PR0389232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ADAMSON'S FRENCH DIP LLC	Inspection Time 12:40 - 13:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured roast beef holding between 99F - 110F in undercounter warmer for less than 4 hours.

Measured cheese left by grill for less than 4 hours at 63F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[SA] PHFs will be discarded within 4 hours of removal from temperature control.

Discussed TPHC with operator, TPHC form will be provided.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Manager Food Safety Certificate not available.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Utensil surface measured at 150F in high- temp dishwasher.

[CA] Mechanical sanitization shall be accomplished in the final sanitizing rinse by achieving a utensil surface temperature of 160°F (or manufacturer's instruction).

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: To-go containers stored in the restroom.

[CA] Discontinue storage of utensils in the restroom, store in approved area to prevent contamination.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Debris buildup on hood filters above the oven.

[CA] Clean mechanical exhaust hood and filters of grease accumulation.

Performance-Based Inspection Questions

Needs Improvement - Proper cooking time & temperatures.

Needs Improvement - Proper hot and cold holding temperatures.

Needs Improvement - Food contact surfaces clean, sanitized.

Needs Improvement - Demonstration of knowledge; food manager certification.

Measured Observations

Item	Location	Measurement	Comments
cooked onions	holding on flat top grill	136.00 Fahrenheit	
raw beef	2-door refrigerator	39.00 Fahrenheit	
water	hand sink	100.00 Fahrenheit	
water	3-comp sink	120.00 Fahrenheit	
cheese	glass-door refrigerator	39.00 Fahrenheit	
quat sanitizer	sanitizer bucket	200.00 PPM	
roast beef	undercounter warmer	99.00 Fahrenheit	
cheese	next to flat top grill	62.00 Fahrenheit	

Overall Comments:

CO0159285

OFFICIAL INSPECTION REPORT

Facility FA0264084 - ADAMSON'S FRENCH DIP	Site Address 806 W EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 05/06/2026
Program PR0389232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ADAMSON'S FRENCH DIP LLC	Inspection Time 12:40 - 13:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/20/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: JACK ADAMSON
ASSISTANT MANAGER
Signed On: May 06, 2026