

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0289346 - PARIS BAGUETTE SUNNYVALE		Site Address 598 E EL CAMINO REAL 1, SUNNYVALE, CA 94087		Inspection Date 03/12/2025		Placard Color & Score <div style="background-color: black; color: white; padding: 10px; text-align: center;"> GREEN 87 </div>		
Program PR0433783 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name PROJECT PEACHTREE, INC		Inspection Time 15:35 - 16:50			
Inspected By SUHKREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By WOOJIN (ON PHONE)				FSC Woojin Lee 2/2/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures		X		X			N
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						N
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0289346 - PARIS BAGUETTE SUNNYVALE	Site Address 598 E EL CAMINO REAL 1, SUNNYVALE, CA 94087	Inspection Date 03/12/2025
Program PR0433783 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PROJECT PEACHTREE, INC	Inspection Time 15:35 - 16:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured PHFs between 46-48F in open display refrigerator stored in the middle of the unit. PHFs stored on the corners measured 41-42F. Per PIC, the PHFs were stored in the unit at 8 AM.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] PHFs in the middle of the unit were VC&D. See VC&D report. Items on the corners and towards side wall of the unit were moved to a different refrigerator.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *Repeat violation

Hand wash sink next to office is partially blocked by a prep table. Another hand wash sink available in the close proximity.

[CA] Handwashing facility shall be clean, unobstructed, and accessible at all times.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Ambient temperature of open display unit measured at 51F.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
Ham Cheese Sandwich	Open grab and go unit	48.00 Fahrenheit	
Cake	Display refrigerator	41.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Milk	Walk in cooler	41.00 Fahrenheit	
Sliced tomatoes	Prep unit	40.00 Fahrenheit	
Chicken	Prep unit	40.00 Fahrenheit	
Buffalo Chicken Wrap	Open grab and go unit	44.00 Fahrenheit	
Sourdough Breakfast Sandwich	Open grab and go unit	46.00 Fahrenheit	
Custard	Under counter refrigerator	41.00 Fahrenheit	
Water	Hand wash sink	100.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0289346 - PARIS BAGUETTE SUNNYVALE	Site Address 598 E EL CAMINO REAL 1, SUNNYVALE, CA 94087	Inspection Date 03/12/2025
Program PR0433783 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PROJECT PEACHTREE, INC	Inspection Time 15:35 - 16:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Woojin Lee
Manager
Signed On: March 12, 2025