

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0264988 - BO GIA CAFE		Site Address 2897 SENTER RD 140, SAN JOSE, CA 95111		Inspection Date 07/28/2026		Placard Color & Score GREEN 91		
Program PR0390911 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name QUI PHAN		Inspection Time 11:30 - 13:00			
Inspected By MARCELA MASRI		Inspection Type ROUTINE INSPECTION		Consent By HUNG LAM				FSC PHUONG LE 5-7-31

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly					X		
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0264988 - BO GIA CAFE	Site Address 2897 SENTER RD 140, SAN JOSE, CA 95111	Inspection Date 07/28/2026
Program PR0390911 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name QUI PHAN	Inspection Time 11:30 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Found a food preparation sink without any water supply or discharge pipe. [ca] A food preparation sink shall be provided with hot and cold running water through a mixing valve. Provide a working food preparation sink within 48 hrs. Ensure to direct the discharge pipe to the floor sink. FIX WITHIN 48 HRS.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: FOUND A CRACKED LIGHT COVER IN THE RESTROOM. [CA] REPLACE THE LIGHT COVER.

FOUND A LIGHT BULB WITHOUT A COVER BY THE BEVERAGE SERVING STATION IN THE FRONT. [CA] PROVIDE A COVER OR PROVIDE A SHATTER PROOF LIGHT BULB.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: MISSING THE LOCKER FOR THE EMPLOYEE'S BELONGINGS. [CA] PROVIDE LOCKERS AND FASTEN IT TO THE WALL.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: FOUND THE WALL BY THE MOP SINK, THE WALL BY THE RESTROOM AND THE WALL AT THE DRY STORAGE AREA WITH PAINT CHIPPING OFF. [CA] REPAIR THE WALLS.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
FROZEN FRUIT	REACH IN FREEZER	6.00 Fahrenheit	
MILK	REACH IN REFRIGERATOR	37.00 Fahrenheit	
HOT WATER	3 COMPARTMENT SINK	120.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: BO GIA CAFE

NEW OWNER: CHRISTIN LY

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP10. An invoice for the permit fee in the amount of \$1377.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 08/01/2026 - 7/31/27 This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

OFFICIAL INSPECTION REPORT

Facility FA0264988 - BO GIA CAFE	Site Address 2897 SENTER RD 140, SAN JOSE, CA 95111	Inspection Date 07/28/2026
Program PR0390911 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name QUI PHAN	Inspection Time 11:30 - 13:00

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

****Structural Review inspection conducted on 07/28/26***

****Permit condition: NO COOKING IS ALLOWED AT THIS FACILITY***

****Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.***

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/11/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: HUNG LAM
manager

Signed On: July 28, 2026