

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0252726 - ELYSE RESTAURANT		Site Address 96 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 03/13/2026
Program PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name ELYSE 2.0, LLC	Inspection Time 16:10 - 17:15
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By THACH	

Placard Color & Score RED N/A

Comments and Observations

Major Violations

Cited On: 03/10/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 03/13/2026. See details below.

Cited On: 03/13/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

1. Observed Vermin: Documented in the following areas:

Evidence of vermin still noted within the facility at the time of inspection. Noted within the following areas:

- Numerous live (5+) cockroaches noted on the casters of the plastic racks across the three compartment sink and dishwasher.
- Several live cockroaches on black tape held on racks under the drainboard of the pre-rinse sink
- One live nymph on the wall near the upright warmer by the small type II hood.
- One live cockroach on the prep counter of the undercounter cooler across the cookline.
- Several (4+) cockroaches on a potato slicer.

2. Photographs: Taken for documentation purposes.

3. Supervisor Notified: Yes

4. Notification: The person in charge during inspection, Thach, has been informed that the facility must close immediately.

[CA]: The premises of each food facility must be maintained free of vermin. A facility cannot operate if there is a vermin infestation that leads to contamination of food contact surfaces, packaging, utensils, food equipment, or adulteration of food. The facility is required to cease operations immediately and must remain closed until all corrective actions on the provided checklist are completed.

Requirements Before Reopening:

1. Email the signed and completed Reopening Checklist to the assigned inspector.
2. Submit a copy of the pest control report from a licensed provider.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Onsite for the 5th follow up inspection where the facility was closed for an active cockroach infestation. Facility provided a completed and signed checklist for reopening along with a pest control follow up report. Pest control report noted no activity observed after a micro injection treatment.

Facility is to remain closed. Major violations are still present and not found within compliance:

- K23: No rodents, insects, birds, or animals.

Evidence of vermin still noted within the facility at the time of inspection. Noted within the following areas:

- Numerous live (5+) cockroaches noted on the casters of the plastic racks across the three compartment sink and dishwasher.

OFFICIAL INSPECTION REPORT

Facility FA0252726 - ELYSE RESTAURANT	Site Address 96 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 03/13/2026
Program PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ELYSE 2.0, LLC	Inspection Time 16:10 - 17:15

- Several live cockroaches on black tape held on racks under the drainboard of the pre-rinse sink
- One live nymph on the wall near the upright warmer by the small type II hood.
- One live cockroach on the prep counter of the undercounter cooler across the cookline.
- Several (4+) cockroaches on a potato slicer.

Facility is to remain closed and not allowed to re-open until written authorization is given by this department.

- Facility shall:

- * Eradicate all live and dead rodents and insects from the facility.
- * Clean and sanitize the affected area(s) and equipment.
- * Dispose of all food items that have been adulterated/contaminated.
- * Seal holes (e.g. in walls and ceilings, repair coved base), and entryways (e.g. weather-stripping around doors); keep exterior doors closed; screen openable windows.

- Subsequent follow-up inspection shall be billed at \$298/hour, minimum one hour, during normal business hour, Monday - Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability. Contact this department when you are ready for a follow up inspection.

- EH inspector to consult with Supervising REHS to discuss further enforcement actions.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/27/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Thach
Owner
Signed On: March 13, 2026