

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | |
|--|--|----------------------------------|
| Facility FA0282796 - KETTLE'E | Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050 | Inspection Date 01/26/2023 |
| Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11 | Owner Name MOHAMMAD USMAN, YUSZF | Inspection Time 12:00 - 12:30 |
| Inspected By FARHAD AMIR-EBRAHIMI | Inspection Type FOLLOW-UP INSPECTION | Consent By MONDOL JAYANTO |

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 01/10/2023

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

This violation found not in compliance on 01/26/2023. See details below.

Minor Violations

Cited On: 01/10/2023

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

This violation found not in compliance on 01/26/2023. See details below.

Measured Observations

N/A

Overall Comments:

Violations have not been corrected. Manager called the owner from the other facility to come and talk to me. He stated that he has been working on correcting the violations.

Re-inspection scheduled for 02/09/23. If violations are not corrected, there will be a \$219.00 inspection fee.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/9/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| | |
|--------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |

Received By: Mohammad Sabir

Signed On: January 26, 2023