

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210105 - CHILI'S GRILL & BAR #503		Site Address 5650 ALMADEN EX, SAN JOSE, CA 95123		Inspection Date 04/07/2026		Placard Color & Score GREEN 92		
Program PR0303457 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name BRINKER RESTAURANT COF		Inspection Time 10:55 - 12:45			
Inspected By CHRISTINA RODRIGUEZ		Inspection Type ROUTINE INSPECTION		Consent By ROXANNE				FSC Roxanne Eubank 6/17/27

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods	X						
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate	X	
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0210105 - CHILI'S GRILL & BAR #503	Site Address 5650 ALMADEN EX, SAN JOSE, CA 95123	Inspection Date 04/07/2026
Program PR0303457 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name BRINKER RESTAURANT CORP	Inspection Time 10:55 - 12:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: The dish washing sink chlorine read 0ppm. [CA] the machine must reach 50ppm chlorine. The dishes must be sanitized at the 3 compartment sink after washing. Check that the quat reaches 200ppm. The dish washer employee was sanitizing the dishes in the 3 comp sink.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: The lighting above the dish washing sink area is out. [CA] This is a repeat violation. Repair the lighting in this area by 7-7-26.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: The cooks do not have a probe thermometer. [CA] An accurate easily readable metal probe thermometer (accurate to +/- 2°F) that is designed to measure the temperature of thin masses shall be provided and readily available to accurately measure the temperatures of potentially hazardous foods.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: There are several areas on the kitchen floor where grout is missing and it is causing standing water and debris.. [CA] Repair the floor.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
chlorine	dishmachine	0.00 PPM	
chicken	from oven	170.00 Fahrenheit	
cheese	walk in	38.00 Fahrenheit	
quat	towel bucket	200.00 PPM	
water	hand sink	100.00 Fahrenheit	
quat	bar sink	200.00 Fahrenheit	
sour cream	refrigerator	38.00 Fahrenheit	
beef	grill	168.00 Fahrenheit	
rice	warmer	159.00 Fahrenheit	
cheese	refrigerator	38.00 Fahrenheit	
water	dish sink	120.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/21/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0210105 - CHILI'S GRILL & BAR #503	Site Address 5650 ALMADEN EX, SAN JOSE, CA 95123	Inspection Date 04/07/2026
Program PR0303457 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name BRINKER RESTAURANT CORP	Inspection Time 10:55 - 12:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: _____

Signed On: April 07, 2026