

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0252024 - BOMBAY CHAAT HOUSE		Site Address 454 S MAIN ST, MILPITAS, CA 95035		Inspection Date 02/18/2026		Placard Color & Score GREEN 89		
Program PR0366654 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name SHARMA, VANITA		Inspection Time 12:55 - 14:10			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By SUKHWINDER				FSC Singh Sukhwinder 07/29/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		X
K33	Nonfood contact surfaces clean		X
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0252024 - BOMBAY CHAAT HOUSE	Site Address 454 S MAIN ST, MILPITAS, CA 95035	Inspection Date 02/18/2026
Program PR0366654 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name SHARMA, VANITA	Inspection Time 12:55 - 14:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

1. Hot water at the 3 compartment sink was measured at a maximum temperature of 116 degrees Fahrenheit.

[Corrective Action] Provide hot water at a minimum temperature of 120 degrees Fahrenheit at the 3 compartment sink.

2. Weak hot water pressure at the handwash sink at the service area.

[Corrective Action] Provide adequate hot water pressure.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations:

Pre-packaged foods in the facility were observed lacking labels or lacking information.

[Corrective Action] Food prepackaged in a food facility shall bear a label with the following:

- 1) common name of the food,**
- 2) list of ingredients in descending order of predominance by weight,**
- 3) quantity of contents,**
- 4) name and place of business of the manufacturer, packer, or distributor.**

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations:

Door handles of all refrigeration units in the kitchen were observed dirty and sticky.

[Corrective Action] Clean the door handles frequently.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Rubber seals observed damaged on the door of the single door upright cooler and the right door of the 2 door undercounter cooler in the kitchen.

[Corrective Action] Repair or replace the rubber seals.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

Air curtain was not turned on while leaving the back door open.

[Corrective Action] Air curtain shall be turned on while leaving the back doors open.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0252024 - BOMBAY CHAAT HOUSE	Site Address 454 S MAIN ST, MILPITAS, CA 95035	Inspection Date 02/18/2026
Program PR0366654 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name SHARMA, VANITA	Inspection Time 12:55 - 14:10

Measured Observations

Item	Location	Measurement	Comments
chick peas	3 door upright cooler	37.00 Fahrenheit	dry storage area
sauce	cooling rack	96.00 Fahrenheit	dry storage area
desserts	display cooler	41.00 Fahrenheit	
curry sauce	steam table	145.00 Fahrenheit	
yogurt sauce	2 door prep cooler	41.00 Fahrenheit	
hot water	3 compartment sink	116.00 Fahrenheit	
potatoes	single door upright cooler - bev air	39.00 Fahrenheit	dry storage area
potato samosa	3 door upright cooler	41.00 Fahrenheit	service area
milk	2 door undercounter cooler	41.00 Fahrenheit	
paneer, milk	single door upright cooler	41.00 Fahrenheit	kitchen
potatoes	single door upright cooler - atosa	41.00 Fahrenheit	dry storage area
hot water	handwash sink	100.00 Fahrenheit	
mango lassi	single door upright display cooler	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/4/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Singh Sukhwinder
operator
Signed On: February 18, 2026