

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0265472 - MY MILKSHAKE		Site Address 151 S 2ND ST #199, SAN JOSE, CA 95113		Inspection Date 02/10/2026		Placard Color & Score YELLOW 70		
Program PR0391773 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name MILKSHAKE EMPIRE INC.		Inspection Time 16:35 - 18:05			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By JOHANNA				FSC Mumtaz Mohammad 04/24/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed		X		X			
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0265472 - MY MILKSHAKE	Site Address 151 S 2ND ST #199, SAN JOSE, CA 95113	Inspection Date 02/10/2026
Program PR0391773 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name MILKSHAKE EMPIRE INC.	Inspection Time 16:35 - 18:05
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

1. Whipped Cream and cheesecake pieces in the cold hold unit measured at 55-59F at around 4:40 pm. Per staff, they moved it from the fridge around 1 pm.

2. Milk at the cart measured at 54F. Per staff, they removed it from the cooler about 20 minutes prior.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Items were moved back to the upright coolers in the back of house.

Follow-up By
02/17/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

Staff were observed skipping the sanitizing step of ware washing when washing blenders.

Note: Facility only had "fresh scent" scented bleach intended for laundry available.

[CA] Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

[COS] Permit holder arrived onsite and provided chlorine to sanitize properly. Blenders were sanitized.

Follow-up By
02/17/2026

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations:

The only floor sink under in the facility was clogged, not draining, and had a foul odor.

[CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.

[COS] Permit holder contacted their plumber to arrive onsite and clear the clog.

Follow-up By
02/17/2026

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility had expired chlorine test strips from 2017.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

The front service cold hold unit is not maintaining PHFs at 41F or below.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below. Repair, service, or replace the unit.

OFFICIAL INSPECTION REPORT

Facility FA0265472 - MY MILKSHAKE	Site Address 151 S 2ND ST #199, SAN JOSE, CA 95113	Inspection Date 02/10/2026
Program PR0391773 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name MILKSHAKE EMPIRE INC.	Inspection Time 16:35 - 18:05

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations:

Second Repeat Violation: The Environmental Health Permit is not posted in public view.

[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Ice Cream	Ice Cream Freezer	10.00 Fahrenheit	
Milk	Cart	55.00 Fahrenheit	
Water	Three Compartment Sink	120.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	
Chlorine - Sanitizer	Three Compartment Sink	100.00 PPM	
Cheesecake	Cold Hold Unit - Service Line	59.00 Fahrenheit	
Fries	Upright Freezer	8.00 Fahrenheit	
Ice Cream	Chest Freezer	0.00 Fahrenheit	
Milk	Upright Cooler	40.00 Fahrenheit	

Overall Comments:

Notes:

- A follow up inspection will be conducted within 5 business days to verify compliance with major violations noted. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/24/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Marty Chak
Owner
Signed On: February 10, 2026