

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213109 - ST-LAKESIDE LAGUNITA		Site Address 326 SANTA TERESA, STANFORD, CA 94305		Inspection Date 12/04/2024		Placard Color & Score YELLOW 81		
Program PR0301184 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name STANFORD DINING SERVICE		Inspection Time 10:15 - 12:00			
Inspected By ALELI CRUTCHFIELD		Inspection Type ROUTINE INSPECTION		Consent By JASON				FSC Jason Sanchez 9/30/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods		X					N
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X					
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0213109 - ST-LAKESIDE LAGUNITA	Site Address 326 SANTA TERESA, STANFORD, CA 94305	Inspection Date 12/04/2024
Program PR0301184 - FOOD PREP / FOOD SVC OP. 26+ EMPLOYEES RC 3 - FP17	Owner Name STANFORD DINING SERVICES	Inspection Time 10:15 - 12:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations: Measured 4 large covered containers of pasta prepared yesterday between 51F-56F in walk in cooler. Measured 8 covered containers of food prepared yesterday on single baking sheet rack (cooked rice/beans/sauce) between 45-48F.

[CA] After heating or hot holding, Potentially Hazardous Foods (PHFs) shall be cooled rapidly from 135°F to 70°F within 2 hours and from 70°F to 41°F within 4 hours. Approved cooling methods include: 1) Placing the food in shallow pans 2) Separating the food into thinner or smaller portions. 3) Using rapid cooling equipment (Ex. blast chiller) 4) Using containers that facilitate heat transfer (ex. stainless steel) 5) Adding ice as an ingredient. 6) Using ice paddles 7) Using an ice bath and stirring frequently 8) Accordance with a HACCP plan. Cooling foods shall have enough space around the containers for cold air to circulate, be loosely covered, or uncovered and stirred as frequently needed to evenly cool.

[COS] All food was discarded in trash.

Follow-up By
12/09/2024

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Irreversible dish plate thermometer measured at 155F for the high temp dishwasher. Dishwasher in use at time of verifying temperature. **[CA]** A minimum of 160F dish plate temperature is required. Manually sanitize all food equipment at the 3 compartment sink at 200 ppm quaternary ammonium. Manager contacted maintenance service during inspection.

Follow-up By
12/09/2024

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Measured warm water at hand sink next to 3 comp sink at 125F, warm water at hand sink behind cook line at 91F. **[CA]** Maintain warm water at combination faucet for hand sink between 100-108F.

Performance-Based Inspection Questions

Needs Improvement - Proper cooling methods.

Measured Observations

Item	Location	Measurement	Comments
water	3 comp sink	120.00 Fahrenheit	
milk	milk dispenser	41.00 Fahrenheit	
ambient	2 door unit	35.00 Fahrenheit	
quat ammonium	3 comp sink sanitizer dispenser	200.00 PPM	
ambient	walk in cooler	39.00 Fahrenheit	
water	hand sinks	100.00 Fahrenheit	
ambient	walk in freezer	5.00 Fahrenheit	
chicken, beef raw	walk in	39.00 Fahrenheit	
waffle batter	walk in	41.00 Fahrenheit	
sour cream	2 door unit	36.00 Fahrenheit	
chicken, broccoli, rice, beans	buffet line	135.00 Fahrenheit	above 135F, food also on TPHC
pasta	warmer	156.00 Fahrenheit	
rice	warmer	148.00 Fahrenheit	
beans	warmer	156.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0213109 - ST-LAKESIDE LAGUNITA	Site Address 326 SANTA TERESA, STANFORD, CA 94305	Inspection Date 12/04/2024
Program PR0301184 - FOOD PREP / FOOD SVC OP. 26+ EMPLOYEES RC 3 - FP17	Owner Name STANFORD DINING SERVICES	Inspection Time 10:15 - 12:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/18/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Jason Sanchez

Signed On: December 04, 2024