

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0253561 - RESTAURANT GISH		<b>Site Address</b> 1998 HOMESTEAD RD 113, SANTA CLARA, CA 95051		<b>Inspection Date</b> 12/11/2025	
<b>Program</b> PR0369182 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			<b>Owner Name</b> GISH ROAD PROJECT LLC		<b>Inspection Time</b> 16:30 - 17:40
<b>Inspected By</b> LAWRENCE DODSON	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> YONG KWONG	<b>FSC</b> Areum Kwon 11/01/2030		

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>94</b>
---

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used	X	
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0253561 - RESTAURANT GISH	Site Address 1998 HOMESTEAD RD 113, SANTA CLARA, CA 95050	Inspection Date 12/11/2025
Program PR0369182 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name GISH ROAD PROJECT LLC	Inspection Time 16:30 - 17:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

**Inspector Observations: Raw food of animal origin stored above ready to eat food in standing refrigerator.**  
**[CA] All food shall be separated and protected from cross-contamination. Store all raw meat or other raw products of animal origin below ready-to-eat food items.**

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

**Inspector Observations: Home type pest control spray found in storage cabinet.**  
**[CA] Only those insecticides, rodenticides, and other pesticides that are necessary and specifically approved for use in a food facility may be used.**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations: Scoops in bulk containers lack handles.[CA] Use scoops with handles and store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
raw eggs	standing refrigerator	40.00 Fahrenheit	
milk	standing refrigerator	40.00 Fahrenheit	
water	3 compartment sink	120.00 Fahrenheit	
sanitizer concentration	mechanical dishwasher	50.00 PPM	
water	hand wash sink	100.00 Fahrenheit	
beef stock	stove	151.00 Fahrenheit	
raw chicken	preparation table	52.00 Fahrenheit	active preparation
under counter refrigerator	service	50.00 Fahrenheit	bottled beverages and non PHF stored.
sanitizer concentration	3 compartment sink	0.00 PPM	OPPM quaternary ammonium. sink not in use at time of inspection.
tofu	2 door refrigerator	38.00 Fahrenheit	

### Overall Comments:

**The following was discussed with the operator:**

#### warewashing

**Manual warewashing shall be accomplished by using a three-compartment sink where the utensils are first precleaned, washed with hot soapy water, rinsed with hot water, sanitized with an approved method, and air dried. Use 1 TBS of bleach (5.25%) per 1 gal. of water for chlorine solution (100 PPM). Use 1 tbs of quaternary ammonium (10%) per 2 gal. of water for quaternary ammonium (200 PPM).**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/25/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

Facility FA0253561 - RESTAURANT GISH	Site Address 1998 HOMESTEAD RD 113, SANTA CLARA, CA 95050	Inspection Date 12/11/2025
Program PR0369182 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name GISH ROAD PROJECT LLC	Inspection Time 16:30 - 17:40

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Yong Kwong  
PIC

**Signed On:** December 11, 2025