

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0251332 - CABRILLO MIDDLE SCHOOL		Site Address 2550 CABRILLO AV, SANTA CLARA, CA 95051		Inspection Date 08/25/2026		Placard Color & Score GREEN 90		
Program PR0365217 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23			Owner Name SANTA CLARA UNIFIED SCH		Inspection Time 10:30 - 11:30			
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By CYNTHIA TEU				FSC Cynthia Teu 08/06/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures		X					
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0251332 - CABRILLO MIDDLE SCHOOL		Site Address 2550 CABRILLO AV, SANTA CLARA, CA 95051	Inspection Date 08/25/2026
Program PR0365217 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23		Owner Name SANTA CLARA UNIFIED SCHOOL DISTRICT	Inspection Time 10:30 - 11:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: *At the service line, measured cut watermelon at 63F. Per employee, watermelon was cut 1 hour prior to temperature measurement, transferred to the walk-in cooler, then moved to the service line cooler. [CA] Potentially Hazardous Foods shall be kept at 41F or below or 135F or above. [SA] Per PIC, all food will be served or discarded within the lunch period (or less than 4 hours from time of initial removal from temperature control).*

Minor Violations

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: *Observed three lights over the cook line are not operable. [CA] In every room and area in which any food is prepared, manufactured, processed or prepackaged or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
grilled cheese	upright warmer	146.00 Fahrenheit	
sanitizer (quaternary ammonia)	3-compartment sink	200.00 PPM	
sanitizer (quaternary ammonia)	bucket	200.00 PPM	
water	handwash sink	100.00 Fahrenheit	
ambient	walk-in freezer	5.00 Fahrenheit	
yogurt	1-door upright cooler	41.00 Fahrenheit	
taco meat	upright warmer	186.00 Fahrenheit	
water	3-compartment sink	120.00 Fahrenheit	
water	handwash sink (restroom)	100.00 Fahrenheit	
milk	dairy cooler	41.00 Fahrenheit	
raw chicken	walk-in cooler	40.00 Fahrenheit	
final rinse	mechanical dishwasher	165.00 Fahrenheit	

Overall Comments:

Verified temperature holding, cooling, and sanitizer logs during inspection.

Facility serves lunch from 11:28 AM - 12:08 PM.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/8/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0251332 - CABRILLO MIDDLE SCHOOL	Site Address 2550 CABRILLO AV, SANTA CLARA, CA 95051	Inspection Date 08/25/2026
Program PR0365217 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name SANTA CLARA UNIFIED SCHOOL DISTRICT	Inspection Time 10:30 - 11:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Cynthia Teu
Kitchen Operator

Signed On: August 25, 2026