

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0255424 - STRAITS RESTAURANT		<b>Site Address</b> 333 SANTANA ROW 1100, SAN JOSE, CA 95128	<b>Inspection Date</b> 06/29/2021
<b>Program</b> PR0372977 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		<b>Owner Name</b> STRAITS SANTANA ROW LLI	<b>Inspection Time</b> 15:40 - 15:50
<b>Inspected By</b> JASLEEN PURI	<b>Inspection Type</b> LIMITED INSPECTION	<b>Consent By</b> SAVANNAH	

<b>Placard Color &amp; Score</b>  <b>RED</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Inspector Observations: Measured the temperature of hot water at 73F in the restroom handsinks, kitchen/bar/wait station handsinks, dump sinks in bar, prep sink in kitchen, and 3-comp-sinks in bar & kitchen. [CA] Maintain hot water at a minimum temperature of 100F in all handsinks and at 120F in all other sinks (mop sink, dump sink, 3-comp-sink, prep sink).**

**Due to lack of proper hot water temperature facility is closed. Once this violation is corrected contact specialist for a follow up inspection.**

**Minor Violations**

No minor violations were observed during this inspection.

**Performance-Based Inspection Questions**

N/A

**Measured Observations**

N/A

**Overall Comments:**

**Due to lack of proper hot water temperature, facility is closed. Once violation #21M is corrected contact specialist for a follow up inspection.**

**Note: First follow up inspection during business hours is free. Any subsequent follow up inspections will be charged at \$219/hr. If facility requests owner initiated after hours reinspection then there will be a charge of \$493 2 hr min.**

**Note: Consulted with supervisor Michael Cervantes.**

**CLOSURE / PERMIT SUSPENSION NOTICE**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/13/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0255424 - STRAITS RESTAURANT	<b>Site Address</b> 333 SANTANA ROW 1100, SAN JOSE, CA 95128	<b>Inspection Date</b> 06/29/2021
<b>Program</b> PR0372977 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> STRAITS SANTANA ROW LLC	<b>Inspection Time</b> 15:40 - 15:50

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

\_\_\_\_\_  
**Received By:**

**Signed On:** June 29, 2021

**Comment:** Emailed report. No signature obtained due to covid.