

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0256140 - CENTURY 20 THEATRES	Site Address 925 BLOSSOM HILL RD 2000, SAN JOSE, CA 95123	Inspection Date 08/04/2026
Program PR0374034 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 1 - FP15	Owner Name CENTURY THEATRES INC	Inspection Time 15:20 - 15:45
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By RAJIV

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

Cited On: 08/04/2026

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

This violation found not in compliance on 08/04/2026. See details below.

Follow-up By
08/04/2026

Cited On: 08/04/2026

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: When running three compartment sink faucet, water in grease trap overflowed onto the floor surrounding the three compartment sink/preparation area. [CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized and a follow up inspection is conducted by this department.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

This is the first follow up inspection after the facility was closed for a sewage overflow. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$282.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

K22: The grease trap was observed to still be overflowing when the three compartment sink was ran. Per PIC, they vacuumed the grease trap and snaked it themselves. Per Rajiv, a grease trap company is coming by at 4pm and will collect the vacuumed grease.

Facility is to remain closed.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/18/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0256140 - CENTURY 20 THEATRES	Site Address 925 BLOSSOM HILL RD 2000, SAN JOSE, CA 95123	Inspection Date 08/04/2026
Program PR0374034 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 1 - FP15	Owner Name CENTURY THEATRES INC	Inspection Time 15:20 - 15:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Rajiv
General Manager

Signed On: August 04, 2026