

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261022 - GARLIC CITY CAFE		Site Address 7461 MONTEREY ST, GILROY, CA 95020		Inspection Date 01/09/2025		Placard Color & Score GREEN 92		
Program PR0382690 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name VELASQUEZ, MARGARITA		Inspection Time 11:45 - 13:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By DIEGO SOCRATES				FSC Diego Socrates 5/4/29

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						S
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods	X						
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261022 - GARLIC CITY CAFE	Site Address 7461 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/09/2025
Program PR0382690 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name VELASQUEZ, MARGARITA	Inspection Time 11:45 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Pooled eggs within ice bath were measured at 45°F at the time of inspection.

[CA] PHFs shall be held at 41°F or below or at 135°F or above. Recommend adding more ice throughout the day to ice bath.

[SA] More ice was added to the ice bath.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Raw burger patty is on top of clean dishes within the 3-Compartment sink.

[CA] Discontinue using the 3-Compartment sink as a prep sink and use prep sink on site properly.

[SA] Dishes that came in contact with the patties were re-washed.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Facility has a flat grill and small deep fryer that is not under the hood system.

[CA] Provide approved exhaust hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors.

REPEAT VIOLATION. Failure to comply may result in enforcement action. If equipment is not removed by next inspection it will be impounded.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Cheese cake	Display refrigeration	37.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Soup	Hot holding (steam table)	157.00 Fahrenheit	
Burger patty	Under counter refrigeration #2	39.00 Fahrenheit	
Boiled eggs	Prep table #2	39.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Pooled eggs	Ice bath	45.00 Fahrenheit	Adjust to 41°F below. SA
Ambient	Freezer chest	5.00 Fahrenheit	
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Ambient	Under counter freezer	5.00 Fahrenheit	
Cooked chicken	Cook line	178.00 Fahrenheit	Final cook temperature.
Cut tomato	Prep table	39.00 Fahrenheit	
Sausage	Prep table	38.00 Fahrenheit	
Shelled eggs	Reach in	39.00 Fahrenheit	
Cut tomato	Prep table #2	39.00 Fahrenheit	
Cheese	Reach in	39.00 Fahrenheit	
Ham	Under counter refrigeration #2	38.00 Fahrenheit	
Milk	Under counter refrigeration	39.00 Fahrenheit	

Overall Comments:

NOTE

- Provided the following decals to facility:

Hot/cold holding and sanitize (wash, rinse, sanitize)

OFFICIAL INSPECTION REPORT

Facility FA0261022 - GARLIC CITY CAFE	Site Address 7461 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/09/2025
Program PR0382690 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name VELASQUEZ, MARGARITA	Inspection Time 11:45 - 13:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/23/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Diego Socrates
Chef
Signed On: January 09, 2025