County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K46 No unapproved private home/living/sleeping quarters
K47 Signs posted; last inspection report available



y Site Address 288669 - LA BARRIQUE RESTAURANT 969 STORY RD 6090, SAN JOSE, CA 95122				Inspection Date 08/11/2022			Placard 0	Color & Sco	ore	
Program	3669 - LA BARRIQUE RESTAURANT 969 STORY RD 6090, SAN JOSE, CA 95122 Owner Name					ion Time	\dashv	GR	EE	N
PR0432910 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYS		LA BARF	RIQUE RESTAL		18:35	5 - 19:50)			_
Inspected By Inspection Type HENRY LUU ROUTINE INSPECTION	Consent By CICI		FSC Not Avail	able					<u>78</u>	
RISK FACTORS AND INTERVENTIONS				IN	O Majar	UT Minor	COS/SA	N/O	N/A	РВ
K01 Demonstration of knowledge; food safety certification	n				Wajor	X		1	1412	N
K02 Communicable disease; reporting/restriction/exclus				Х						S
K03 No discharge from eyes, nose, mouth				X						S
K04 Proper eating, tasting, drinking, tobacco use				X						
K05 Hands clean, properly washed; gloves used properly	V			X						
K06 Adequate handwash facilities supplied, accessible	J					X				
K07 Proper hot and cold holding temperatures								Χ		
K08 Time as a public health control; procedures & record									X	
K09 Proper cooling methods				Х						
K10 Proper cooking time & temperatures				X						S
K11 Proper reheating procedures for hot holding								Х		-
K12 Returned and reservice of food				X						
K13 Food in good condition, safe, unadulterated				X						
K14 Food contact surfaces clean, sanitized						X				
K15 Food obtained from approved source				Х		^				
K16 Compliance with shell stock tags, condition, display									Х	
K17 Compliance with Gulf Oyster Regulations									X	
K18 Compliance with variance/ROP/HACCP Plan					X				^	
•				Х	_ ^					
K19 Consumer advisory for raw or undercooked foods	ada not baing offered			^					~	
K20 Licensed health care facilities/schools: prohibited for K21 Hot and cold water available	ous not being offered			V					Х	
				X						
K22 Sewage and wastewater properly disposed				Х		Х				_
K23 No rodents, insects, birds, or animals						X				
GOOD RETAIL PRACTICES									OUT	COS
K24 Person in charge present and performing duties										
Proper personal cleanliness and hair restraints										
Approved thawing methods used; frozen food										
Food separated and protected										
Fruits and vegetables washed										
K29 Toxic substances properly identified, stored, used										
K30 Food storage: food storage containers identified										
K31 Consumer self service does prevent contamination										
Food properly labeled and honestly presented										
K33 Nonfood contact surfaces clean										
Warewash facilities: installed/maintained; test strips										
Equipment, utensils: Approved, in good repair, adec										
K36 Equipment, utensils, linens: Proper storage and use										
Vending machines										
K38 Adequate ventilation/lighting; designated areas, use										
K39 Thermometers provided, accurate										
K40 Wiping cloths: properly used, stored										
K41 Plumbing approved, installed, in good repair; proper										
K42 Garbage & refuse properly disposed; facilities maint										
Toilet facilities: properly constructed, supplied, clear										
Premises clean, in good repair; Personal/chemical	storage; Adequate vern	nin-proofing							Х	
Floor, walls, ceilings: built,maintained, clean										<u> </u>
KAO NIE vysamana vad muivata la maa /livina /alaa-siisa suuranta										

Page 1 of 3

OFFICIAL INSPECTION REPORT

Facility FA0288669 - LA BARRIQUE RESTAURANT	Site Address 969 STORY RD 6090	Inspection Date 08/11/2022			
Program PR0432910 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC	- FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 Owner Name LA BARRIQUE RESTAURANT INC.		Inspection Time 18:35 - 19:50		
K48 Plan review					
K49 Permits available					
K58 Placard properly displayed/posted					

Comments and Observations

Major Violations

K18 - 8 Points - Non-compliance with variance/ROP/HACCP Plan; 114057, 114057.1, 114417.6, 114419

Inspector Observations: Food facility is vacuum packaging raw lamb, chicken, duck, and beef. Per cook line employee, items vacuumed packed and kept up to two weeks. Facility does not have an approved HACCP (Hazard Analysis Critical Control Point program) from the California Department of Public Health. [CA] The food facility shall obtain a HACCP plan approval prior to packaging PHFs using a reduced-oxygen packaging (ROP) method.

[SA] Facility may vacuum pack PHF if all conditions below are followed:

- 1) Food is labeled with the production time AND date.
- 2) Food is held at 41F or lower during refrigeration storage.
- 3) Food is removed from its packaged in the food facility within 48 hours after packaging.

Submit SOP (standard operating procedures) to DEH for ROP without a HACCP plan.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Five-year Food Safety Certified (FSC) manager certificate unavailable for review. [CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

Employees' food handler cards unavailable for review. [CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire.

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: The only hand wash station in the kitchen was obstructed with mop and mop bucket placed in front. [CA] Ensure hand wash stations are unobstructed and easily accessible at all times. [COS] Employee relocated mop and mop bucket.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114111

Inspector Observations: Irreversible test strip used for the high temperature dish machine registered at 150F. [CA] Mechanical sanitization shall be accomplished in the final sanitizing rinse by achieving a utensil surface temperature of 160°F (or manufacturer's instruction). [SA] Discontinue usage of high temperature dish machine. Utilize three-compartment sink for manual ware washing. Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Numerous live fruit flies and/or drain flies observed throughout kitchen. [CA] Food facility shall be kept free of non-disease carrying insects, weevils, ants, gnats, and fruit flies.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256, 114256, 114256, 114256, 114257, 114257, 114259, 114259, 114259, 114259, 114279, 114282

Inspector Observations: Side door of facility maintained opened during inspection. [CA] Keep back door closed at all times to prevent the entrance and harborage of vermin.

Performance-Based Inspection Questions

Needs Improvement - Demonstration of knowledge; food manager certification.

OFFICIAL INSPECTION REPORT

Facility FA0288669 - LA BARRIQUE RESTAURANT	Site Address 969 STORY RD 6090, SAN JOSE, CA 95122		Inspection Date 08/11/2022
Program		Owner Name	Inspection Time
PR0432910 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		LA BARRIQUE RESTAURANT INC.	18:35 - 19:50

Measured Observations

<u>Item</u>	<u>Location</u>	Measurement	Comments
Escargot	Walk-in refrigerator	41.00 Fahrenheit	
Raw shrimp	Drawer refrigerator	32.00 Fahrenheit	
Mashed potatoes	Walk-in refrigerator	40.00 Fahrenheit	
Chlorine sanitizer	Mechanical dish machine	50.00 PPM	Bar
Cooked chicken	Oven	166.00 Fahrenheit	
Raw salmon cubes	Drawer refrigerator	38.00 Fahrenheit	
Cooked macaroni	Walk-in refrigerator	41.00 Fahrenheit	
Deep fried half chicken	Deep fryer	174.00 Fahrenheit	
Raw diced tuna	Preparation refrigerator	35.00 Fahrenheit	Top insert
Hot water	Three-compartment sink	121.00 Fahrenheit	
Raw meats	Walk-in refrigerator	41.00 Fahrenheit	

Overall Comments:

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection
[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By:

Manager

Signed On: August 11, 2022