

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0303988 - GREAT GAS		Site Address 16500 LOS GATOS BL, LOS GATOS, CA 95032		Inspection Date 10/07/2022	
Program PR0370312 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06			Owner Name GREAT GAS LOS GATOS INC		Inspection Time 12:40 - 13:20
Inspected By HELEN DINH	Inspection Type ROUTINE INSPECTION	Consent By MIKE & KAGI		FSC Exempt	

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification						X	
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible		X		X			N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		X
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0303988 - GREAT GAS	Site Address 16500 LOS GATOS BL, LOS GATOS, CA 95032	Inspection Date 10/07/2022
Program PR0370312 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06	Owner Name GREAT GAS LOS GATOS INC	Inspection Time 12:40 - 13:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Major: Lacking paper towel at the ONLY hand wash station in employee restroom. [CA] Single-use sanitary towels shall be provided in dispensers; heated-air hand drying device may be substituted for single-use towels. [COS] Operator restocked.

Minor: Found hand soap stored outside of mounted dispenser. [CA] Provide handwashing cleanser in dispenser at handwash stations at all times.

Minor Violations

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations: Found when flushing toilet in employee restroom, water is seeping onto floor. [CA] Repair toilet to be in good repair. Ensure water from toilet is leaking onto floor.

Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
beverages	2 door reach in	40.00 Fahrenheit	
water	handsink (RR)	78.00 Fahrenheit	
beverages	reach in	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/21/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Mike Emadi
Cashier
Signed On: October 07, 2022