

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230177 - STARBUCKS COFFEE #5295		Site Address 2721 ABORN RD A, SAN JOSE, CA 95121		Inspection Date 12/23/2024		Placard Color & Score GREEN 92		
Program PR0330172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name STARBUCKS CORPORATION		Inspection Time 15:00 - 16:00			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By AMY CASTILLO				FSC Amy Castillo 03/25/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		X
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0230177 - STARBUCKS COFFEE #5295	Site Address 2721 ABORN RD A, SAN JOSE, CA 95121	Inspection Date 12/23/2024
Program PR0330172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name STARBUCKS CORPORATION	Inspection Time 15:00 - 16:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: *There were no approved high temperature and sanitizer measuring strips to measure the maximum temperature on the mechanical dishwasher and the concentration of the chemicals used to sanitize dishes and utensils in the facility.*

[CA] *Provide approved sanitizer measuring strips or a maximum registering dishwasher thermometer for the high temperature mechanical dishwasher and the chemicals used for sanitizing utensils, equipment, and food contact surfaces.*

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: *There was no functional thermometer on one of the undercounter fridges.*

[CA] *To monitor the ambient air of the units, please install a functional thermometer on all refrigeration units.*

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: *There was very low sanitizer concentration on one of the sanitizer buckets.*

[CA] *Maintain the sanitizer concentration on the sanitizer buckets at 200 ppm quaternary ammonia. 100 ppm chlorine (bleach), 272 ppm -700 ppm lactic acid levels.*

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: *Drainpipe from the ice machine was immersed inside the floor sink.*

[CA] *To prevent possible contamination from backup of sewage, please provide at least one inch air gap between the floor sink and the drainpipes.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

N/A

Overall Comments:

Note: Food safety manager certificate: Amy Castillo - 03/25/2027

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/6/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0230177 - STARBUCKS COFFEE #5295	Site Address 2721 ABORN RD A, SAN JOSE, CA 95121	Inspection Date 12/23/2024
Program PR0330172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name STARBUCKS CORPORATION	Inspection Time 15:00 - 16:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Amy Castillo
Manager

Signed On: December 23, 2024