

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208247 - THE OFICINA BAR. LLC.		Site Address 2610 UNION AV, SAN JOSE, CA 95124		Inspection Date 05/07/2025		Placard Color & Score GREEN 93		
Program PR0307389 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name THE OFICINA BAR LLC		Inspection Time 15:55 - 17:00			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By MAYRA (O)				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208247 - THE OFICINA BAR, LLC.		Site Address 2610 UNION AV, SAN JOSE, CA 95124	Inspection Date 05/07/2025
Program PR0307389 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name THE OFICINA BAR LLC	Inspection Time 15:55 - 17:00
K48	Plan review		X
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Found black/brown like substance on interior blue panel of ice machine. [CA] Routinely clean.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Found 2 loose CO2 tank near 3-compartment sink at bar area. [CA] Secure CO2 tank to rigid structure to prevent accidental discharge.

K48 - 2 Points - Plan review unapproved; 114380

Inspector Observations: According to structural review report written on 5/26/22, operator was directed to install a hand sink in bar area. Observed ONLY a 3-compartment sink at bar area. [CA] A commercialized hand wash sink shall be install in bar area, where soap and paper towel shall be provided. Facility shall submit plans within 30 days to the Santa Clara County Health Department for the installation of the hand wash sink. Once plans are approved for the hand wash sink, facility shall have 6 months to install hand sink. [SA] Operator is hereby directed to use warewash sink as a temporary means for the purpose of warewashing.

Follow-up By 06/07/2025

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
beverage	2 door sliding top freezer	33.00 Fahrenheit	
beverage	3 door reach in/tap	55.00 Fahrenheit	nonPHFs
cups	1 door top sliding freezer	22.00 Fahrenheit	
hot water	warewash	120.00 Fahrenheit	
beverages	2 door sliding	35.00 Fahrenheit	
warm water	handsink (3-compartment sink & 2RR)	100.00 Fahrenheit	

Overall Comments:

A follow up inspection shall be conducted.

*****Subsequent follow up inspection after first follow up shall be billed \$298/hr during business hours and \$645/hrs (minimum of 2 hours) during nonbusiness hours upon availability.*****

Facility provided with invoice.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 5/21/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0208247 - THE OFICINA BAR, LLC.	Site Address 2610 UNION AV, SAN JOSE, CA 95124	Inspection Date 05/07/2025
Program PR0307389 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name THE OFICINA BAR LLC	Inspection Time 15:55 - 17:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Mayra Valdez
Owner

Signed On: May 07, 2025