

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200923 - HOMESTEAD BOWL/X BAR BBQ		Site Address 20990 HOMESTEAD RD, CUPERTINO, CA 95014	Inspection Date 01/09/2025
Program PR0301791 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name HOMESTEAD BOWL	Inspection Time 15:45 - 16:30
Inspected By JESSICA ZERTUCHE	Inspection Type FOLLOW-UP INSPECTION	Consent By ATAULAH	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 12/18/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 12/20/2024

Minor Violations

Cited On: 12/18/2024

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 01/09/2025. See details below.

Measured Observations

N/A

Overall Comments:

This is a billable follow up inspection. Owner will be billed \$298.00 for today's inspection.

Facility is still not in compliance with several violations cite on 12/18 and 12/20.

Within 2 weeks, shall:

- 1. Provide a door sweep for the front doors, including bar entrance*
- 2. Cover the holes with wood at bar area. Ensure floor sink is still accessible for cleaning and bar tap properly drains into floor sink.*
- 3. Provide a mesh screen (recommend 1/4 inch openings or less) for vent above hood.*
- 4. Elevate the drain lines by the soda dispenser for easy cleaning.*

Observed confirmation of pest control service with Ecoguard, scheduled to service tomorrow, 1/10/25.

No evidence of pests/vermin observed at time of inspection.

An additional billable follow up inspection will take place in 2 weeks. Sometime between Jan 28-31. Please ensure the above items are corrected.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/23/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0200923 - HOMESTEAD BOWL/X BAR BBQ	Site Address 20990 HOMESTEAD RD, CUPERTINO, CA 95014	Inspection Date 01/09/2025
Program PR0301791 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HOMESTEAD BOWL	Inspection Time 15:45 - 16:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: Ataulah Jahed
manager
Signed On: January 09, 2025