

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0250852 - LOS LAGOS MEXICAN RESTAURANT	Site Address 4080 MONTEREY RD, SAN JOSE, CA 95111	Inspection Date 06/18/2025
Program PR0364086 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name JORGE LUIS VELAZQUEZ TC	Inspection Time 15:00 - 15:45
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By JORGE VELAZQUEZ

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 06/18/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: ABOUT 20 LBS OF BIRRIA AND 30 LBS OF MENUDO WERE FOUND AT 48F STORED IN THE WALK IN COOLER OVERNIGHT. [CA] KEEP THE COLD POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. SEE VC&D

Follow-up By
06/19/2025

Minor Violations

Cited On: 06/03/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 06/18/2025. See details below.

Cited On: 06/18/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: FOUND THE WALK IN COOLER KEEPING THE FOOD AT 48F. [CA] REPAIR/ADJUST THE TEMPERATURE TO BE ABLE TO KEEP THE POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. DO NOT USE THE WALK IN COOLER TO STORE POTENTIALLY HAZARDOUS FOOD UNTIL IT IS IN GOOD WORKING ORDER.

Follow-up By
06/19/2025

Measured Observations

Item	Location	Measurement	Comments
BIRRIA	WALK IN COOLER	48.00 Fahrenheit	
MENUDO	WALK IN COOLER	48.00 Fahrenheit	

Overall Comments:

FOLLOW UP INSPECTION FROM 6/6/25 IN WHICH THE WALK IN COOLER WAS UNABLE TO KEEP THE POTENTIALLY HAZARDOUS FOOD AT 41 OR BELOW.

FINDINGS: PER OPERATOR: THE WALK IN COOLER WAS SERVICED.

THE TEMPERATURE OF THE FOOD IN THE WALK IN COOLER IS 48F. A SECOND FOLLOW UP INSPECTION WILL BE SCHEDULED FOR TOMORROW.

NOTE:

- Subsequent follow-up inspection after first follow-up shall be billed \$290/hour, minimum one hour, during normal business hours (Monday - Friday, 7:30 AM to 4:30 PM), and \$629/hour, minimum two hours, during non-business hours, and upon inspector availability.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/2/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0250852 - LOS LAGOS MEXICAN RESTAURANT	Site Address 4080 MONTEREY RD, SAN JOSE, CA 95111	Inspection Date 06/18/2025
Program PR0364086 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name JORGE LUIS VELAZQUEZ TORRES	Inspection Time 15:00 - 15:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: JORGE VELAZQUEZ

OWNER

Signed On: June 18, 2025