

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213935 - THE PASTA MARKET		Site Address 460 E EL CAMINO REAL, SUNNYVALE, CA 94087		Inspection Date 06/24/2026		Placard Color & Score GREEN 78		
Program PR0303799 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GIULIETTA ITALIAN FOODS II		Inspection Time 14:35 - 16:00			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By ANGEL				FSC Angel Beck 05/12/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated		X		X			
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display	X						
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		X
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0213935 - THE PASTA MARKET	Site Address 460 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 06/24/2026
Program PR0303799 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GIULIETTA ITALIAN FOODS INC	Inspection Time 14:35 - 16:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Inspector Observations:

Observed condensate from the evaporator in the walk-in cooler dripping onto container of food.

[Corrective Action] Protect food from contamination.

[Suitable Alternative] The container of lasagna was voluntarily discarded.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

The faucet in the employee's restroom is deteriorated and not secured to the sink basin. Water is still available to wash hands.

[Corrective Action] Repair or replace the faucet.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Multiple Potentially Hazardous Foods in the 3 drawer single door prep cooler at the cookline were measured at 50 degrees Fahrenheit. Observed the middle drawer not closed properly.

[Corrective Action] Maintain Potentially Hazardous Foods at or below 41 degrees Fahrenheit.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations:

Pre-packaged foods in the grab & go cooler and the display cooler are lacking information on the labels.

[Corrective Action] Food prepackaged in a food facility shall bear a label with the following:

- 1) common name of the food,**
- 2) list of ingredients in descending order of predominance by weight,**
- 3) quantity of contents,**
- 4) name and place of business of the manufacturer, packer, or distributor.**

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Gaskets on the door of the walk-in cooler and door of the walk-in freezer observed damaged.

[Corrective Action] Repair or replace the gasket on the walk-in cooler door and walk-in freezer door.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Observed condensate leak from the evaporator in the walk-in cooler.

[Corrective Action] Repair to stop the leak.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

1. Waste water observed stuck in areas of missing or damaged flooring at the warewash area especially under the dishwasher machine.

[Corrective Action] Maintain floors in good condition.

2. Observed missing and damaged wall tiles at the cookline.

[Corrective Action] Maintain wall in good condition.

OFFICIAL INSPECTION REPORT

Facility FA0213935 - THE PASTA MARKET	Site Address 460 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 06/24/2026
Program PR0303799 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GIULIETTA ITALIAN FOODS INC	Inspection Time 14:35 - 16:00

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
pasta	4 drawer cooler	41.00 Fahrenheit	
chicken salad, bolognese sauce	grab and go cooler	39.00 Fahrenheit	
pasta, cut melon	display case	37.00 Fahrenheit	
hot water	3 compartment sink	122.00 Fahrenheit	
beef, lasagna, milk, pasta	walk-in cooler	41.00 Fahrenheit	
hot water	handwash sink	100.00 Fahrenheit	
heavy whipping cream	2 door reach-in cooler	34.00 Fahrenheit	
ranch dressing	single door upright cooler	41.00 Fahrenheit	
mussel, clams, meat sauce, shrimp, fish, cheese, chicken	3 drawer and single door prep cooler	50.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/8/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Angel Beck
person in charge
Signed On: June 24, 2026