

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0289776 - BLOOMENERGY CAFE		Site Address 4353 N 1ST ST, SAN JOSE, CA 95134		Inspection Date 07/06/2026	
Program PR0434637 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name BLOOMENERGY		Inspection Time 12:35 - 13:55
Inspected By THAO HA	Inspection Type ROUTINE INSPECTION	Consent By KARINA FUNES	FSC Karina Funes 08/30/2030		

Placard Color & Score

GREEN
96

RISK FACTORS AND INTERVENTIONS						OUT		COS/SA	N/O	N/A	PBI
						IN	Major	Minor			
K01	Demonstration of knowledge; food safety certification	X									
K02	Communicable disease; reporting/restriction/exclusion	X									
K03	No discharge from eyes, nose, mouth	X									
K04	Proper eating, tasting, drinking, tobacco use	X									
K05	Hands clean, properly washed; gloves used properly	X									
K06	Adequate handwash facilities supplied, accessible	X									
K07	Proper hot and cold holding temperatures	X									
K08	Time as a public health control; procedures & records	X									
K09	Proper cooling methods								X		
K10	Proper cooking time & temperatures									X	
K11	Proper reheating procedures for hot holding								X		
K12	Returned and reservice of food	X									
K13	Food in good condition, safe, unadulterated	X									
K14	Food contact surfaces clean, sanitized	X									
K15	Food obtained from approved source	X									
K16	Compliance with shell stock tags, condition, display									X	
K17	Compliance with Gulf Oyster Regulations									X	
K18	Compliance with variance/ROP/HACCP Plan									X	
K19	Consumer advisory for raw or undercooked foods									X	
K20	Licensed health care facilities/schools: prohibited foods not being offered									X	
K21	Hot and cold water available	X									
K22	Sewage and wastewater properly disposed	X									
K23	No rodents, insects, birds, or animals	X									

GOOD RETAIL PRACTICES										OUT	COS
K24	Person in charge present and performing duties										
K25	Proper personal cleanliness and hair restraints										
K26	Approved thawing methods used; frozen food										
K27	Food separated and protected										
K28	Fruits and vegetables washed										
K29	Toxic substances properly identified, stored, used										
K30	Food storage: food storage containers identified										
K31	Consumer self service does prevent contamination									X	
K32	Food properly labeled and honestly presented										
K33	Nonfood contact surfaces clean										
K34	Warewash facilities: installed/maintained; test strips										
K35	Equipment, utensils: Approved, in good repair, adequate capacity										
K36	Equipment, utensils, linens: Proper storage and use										
K37	Vending machines										
K38	Adequate ventilation/lighting; designated areas, use									X	
K39	Thermometers provided, accurate										
K40	Wiping cloths: properly used, stored										
K41	Plumbing approved, installed, in good repair; proper backflow devices										
K42	Garbage & refuse properly disposed; facilities maintained										
K43	Toilet facilities: properly constructed, supplied, cleaned										
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing										
K45	Floor, walls, ceilings: built, maintained, clean										
K46	No unapproved private home/living/sleeping quarters										
K47	Signs posted; last inspection report available										

OFFICIAL INSPECTION REPORT

Facility FA0289776 - BLOOMENERGY CAFE		Site Address 4353 N 1ST ST, SAN JOSE, CA 95134	Inspection Date 07/06/2026
Program PR0434637 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name BLOOMENERGY	Inspection Time 12:35 - 13:55
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K31 - 2 Points - Consumer self service does not prevent contamination; 114063, 114065

Inspector Observations: Cookies out for self service observed to be unprotected.

[CA] Food on display shall be protected from contamination by the use of packaging, counter, service line, or sneeze guards that intercept a direct line between the consumer's mouth and the food being displayed, containers with tight-fitting securely attached lids, display cases, mechanical dispensers, or other effective means.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Fryer observed on countertop. Facility doesn't have hood. Per PIC, fryer was previously used crispy frozen chicken tenders. [CA] Facility shall remove equipment and all cooking equipment shall be underneath ventilation hood.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Warm water	Handwash sink	100.00 Fahrenheit	
Meatablls	Steam table service	164.00 Fahrenheit	
Ranch	2 door upright cooler	38.00 Fahrenheit	
Ambient temperature	Hot box	145.00 Fahrenheit	
Tuna salad	Sandwich prep cooler	39.00 Fahrenheit	
Cheese	Sandwich prep cooler	41.00 Fahrenheit	
hardboiled peeled eggs	Grab n go cooler	41.00 Fahrenheit	
Turkey	Sandwich prep cooler	41.00 Fahrenheit	
Ham	2 door upright cooler	39.00 Fahrenheit	
Chickpea curry	Steam table service	149.00 Fahrenheit	
Eco Sanitizer	3-comp sink	200.00 Fahrenheit	
Pulled pork	Induction unit	40.00 Fahrenheit	
Hot water	3-comp sink	120.00 Fahrenheit	
White rice	Steam table service	161.00 Fahrenheit	
Chlorine	Rinse cycle	50.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/20/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0289776 - BLOOMENERGY CAFE	Site Address 4353 N 1ST ST, SAN JOSE, CA 95134	Inspection Date 07/06/2026
Program PR0434637 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name BLOOMENERGY	Inspection Time 12:35 - 13:55

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Karina Funes
Manager

Signed On: July 06, 2026