

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0253821 - UNCLE JOHN'S PANCAKE HOUSE		Site Address 1205 THE ALAMEDA 30, SAN JOSE, CA 95126		Inspection Date 09/23/2025	
Program PR0369825 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name WESTLEY ENTERPRISES, LL		Inspection Time 13:15 - 14:30
Inspected By LAWRENCE DODSON	Inspection Type ROUTINE INSPECTION		Consent By ALONDRA PATINO	FSC Pedro Gonzalez 8/16/2027	

Placard Color & Score
GREEN
88

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						S
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures		X					
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0253821 - UNCLE JOHN'S PANCAKE HOUSE	Site Address 1205 THE ALAMEDA 30, SAN JOSE, CA 95126	Inspection Date 09/23/2025
Program PR0369825 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name WESTLEY ENTERPRISES, LLC	Inspection Time 13:15 - 14:30
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Various PHF held in Ig preparation refrigerator measured >41F,<135,<4hrs.

[CA] PHFs shall be held at 41°F or below or at 135°F or above. [SA] Per PIC, PHF was held for less than 4hrs and moved to walk-in refrigerator measuring <41F.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Ambient temperature of Ig preparation refrigerator measured at 50F.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: Current environmental health permit is not posted.[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
juice	beverage refrigerator	40.00 Fahrenheit	
sanitizer concentration	mechanical dishwasher	50.00 PPM	
water	3 compartment sink	127.00 Fahrenheit	
pork	walk-in refrigerator	38.00 Fahrenheit	
preparation refrigerator	cook line	50.00 Fahrenheit	moved to walk-in refrigerator
walk-in refrigerator	storage	36.00 Fahrenheit	
sausage	preparation refrigerator	51.00 Fahrenheit	
cut fruit	service refrigerator/server line	41.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
raw eggs	preparation refrigerator	61.00 Fahrenheit	moved to walk in refrigerator

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/7/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0253821 - UNCLE JOHN'S PANCAKE HOUSE	Site Address 1205 THE ALAMEDA 30, SAN JOSE, CA 95126	Inspection Date 09/23/2025
Program PR0369825 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name WESTLEY ENTERPRISES, LLC	Inspection Time 13:15 - 14:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Alondra Patino
PIC

Signed On: September 23, 2025