

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261950 - LA LUNE SUCREE		Site Address 116 PASEO DE SAN ANTONIO, SAN JOSE, CA 95111		Inspection Date 11/04/2025		Placard Color & Score GREEN 87		
Program PR0384160 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name CHEZ V CORPORATION		Inspection Time 10:45 - 12:20			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By FARIBA				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures			X	X			
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261950 - LA LUNE SUCREE	Site Address 116 PASEO DE SAN ANTONIO, SAN JOSE, CA 95112	Inspection Date 11/04/2025
Program PR0384160 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CHEZ V CORPORATION	Inspection Time 10:45 - 12:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Facility lacks a food safety certified person.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Milks were found measuring between 48-60F on the counter of the espresso bar.

Note: Per PIC, cow milks were being used after a large catering order was finished and alternative milks were held in at room temperature before opening.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] All milks were returned to the undercounter cooler to cool down.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

The interior back wall panel of the ice machine has a yellow/green film of biological growth.

[CA] Ensure to maintain the food contact surfaces of the ice machine clean and sanitized.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Facility has a non ANSI undercounter mini cooler near the espresso bar.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations:

Facility lacks a a probe type thermometer.

[CA] An accurate easily readable metal probe thermometer (accurate to +/- 2°F) that is designed to measure the temperature of thin masses shall be provided and readily available to accurately measure the temperatures of potentially hazardous foods.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0261950 - LA LUNE SUCREE	Site Address 116 PASEO DE SAN ANTONIO, SAN JOSE, CA 95112	Inspection Date 11/04/2025
Program PR0384160 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CHEZ V CORPORATION	Inspection Time 10:45 - 12:20

Measured Observations

Item	Location	Measurement	Comments
Milk	Counter	49.00 Fahrenheit	
Quiche	Speed Rack	110.00 Fahrenheit	Cooling ~ 30 minutes
Water	Three Compartment Sink	120.00 Fahrenheit	
Oat Milk	Counter	66.00 Fahrenheit	
Croissant	Upright Freezer	28.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	
Sliced Tomatoes	Prep Cooler	40.00 Fahrenheit	
Quaternary Ammonia - Sanitizer	Three Compartment Sink	200.00 PPM	
Milk	Undercounter Mini Cooler	38.00 Fahrenheit	

Overall Comments:

Note:

- *This is the first routine inspection since the LLC changed ownership.*
- *Ensure to obtain a Food Safety Certificate.*
- *Per PIC, customers are allowed to use the restroom in the shared hallway when inquired.*
- *Per PIC, they have added salads to their menu and plan on adding soups as well. Facility lacks food prep sink. Any future violations in regard to lack of washing produce may lead to the requirement of installing a prep sink.*
- *Facility intends to add a cold hold unit, a steam table, a dishwasher, and a few refrigeration units. Ensure to consult with our plan check unit if plan submittal will be required for any or all of these projects. A plan check unit is available Monday -Friday from 7:30 am - 10:00 am and also via appointment.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Fariba Jalilvand
Owner
Signed On: November 04, 2025