

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209782 - SAINT PATRICK'S SCHOOL		Site Address 51 N 9TH ST, SAN JOSE, CA 95112		Inspection Date 09/10/2025		Placard Color & Score GREEN 82		
Program PR0300884 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name SAINT PATRICK'S CHURCH		Inspection Time 10:00 - 11:00			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By LARA DE GUZMAN				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available			X	X			
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0209782 - SAINT PATRICK'S SCHOOL	Site Address 51 N 9TH ST, SAN JOSE, CA 95112	Inspection Date 09/10/2025
Program PR0300884 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name SAINT PATRICK'S CHURCH	Inspection Time 10:00 - 11:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Prepackaged turkey sandwiches and prepackaged trays containing string cheese and cream cheese were measured between 59-60°F while being held on a prep table with no temperature control. Per LunchMaster's temperature control log sheet the food was delivered at 9:20 am measuring 38°F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Food items were moved to a working cooler.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Facility lacks a Food Safety Certificate.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Water at the staff restroom measured at a maximum of 75°F.

[CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

[COS] PIC turned up the temperature on the undermounted water heater.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility lacks testing materials for their choice of sanitizer at the upright dishwasher, chlorine.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations:

Facility lacks a probe type thermometer.

[CA] An accurate easily readable metal probe thermometer (accurate to +/- 2°F) that is designed to measure the temperature of thin masses shall be provided and readily available to accurately measure the temperatures of potentially hazardous foods.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0209782 - SAINT PATRICK'S SCHOOL	Site Address 51 N 9TH ST, SAN JOSE, CA 95112	Inspection Date 09/10/2025
Program PR0300884 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name SAINT PATRICK'S CHURCH	Inspection Time 10:00 - 11:00

Measured Observations

Item	Location	Measurement	Comments
Water	Two Compartment Sink	130.00 Fahrenheit	
Milk	Upright Cooler	38.00 Fahrenheit	
Water	Handwash Sink - Kitchen	100.00 Fahrenheit	
Turkey Sandwich	Prep Table	59.00 Fahrenheit	

Overall Comments:

Notes:

- Facility has switched from cooking their own foods to having prepackaged options provided by LunchMaster. Ensure to maintain temperature control logs and a valid Food Safety Certificate. Previous concerns of students walking through the kitchen area for service are no longer present as the facility does no food production.


- A permit downgrade to FP21 may be required.

- Facility participates in the USDA National School Lunch Program. The school's food program has been restructured with no dedicated kitchen staff. PIC was unaware of a HACCP plan. No logs were being maintained. PIC reviewed file cabinets in the kitchen and found several years worth of logs and records. Provide the copy of the HACCP plan to this department once obtained. Ensure to follow all HACCP protocols.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 9/24/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lara de Guzman
Principal
Signed On: September 10, 2025