

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282796 - KETTLE'E		Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050		Inspection Date 09/19/2023		Placard Color & Score <div style="background-color: red; color: white; padding: 10px; text-align: center; font-size: 24px; font-weight: bold;">RED</div> <div style="background-color: black; color: white; padding: 10px; text-align: center; font-size: 36px; font-weight: bold;">82</div>		
Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name MOHAMMAD USMAN, YUSZF		Inspection Time 14:30 - 16:30			
Inspected By FARHAD AMIR-EBRAHIMI		Inspection Type ROUTINE INSPECTION		Consent By MONDOL JAYANTO				FSC MOHAMMAD USMAN 07/01/2024

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X					S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered							
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed		X					
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0282796 - KETTLE'E	Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 09/19/2023
Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MOHAMMAD USMAN, YUSZRA CORPORATION	Inspection Time 14:30 - 16:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: ***RE(EAT VIOLATION *******

Follow-up By
09/26/2023

most kitchen and restroom soap and paper towel dispensers are either broken or empty [CA] Repair or replace all broken dispenser and keep all dispensers supplied - Soap and paper towel were placed by each sink as needed.

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: No drain pipe at the three-compartment sink. Waste water is draining directly to the floor [CA] Waste water must drain into the sewer - Plumber fixed the line during the inspection.

Minor Violations

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Two kitchen sinks and other excess materials stored outside the facility [CA] Remove all excess material from the facility

Follow-up By
09/26/2023

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Curry	Warmer	141.00 Fahrenheit	
Meat	Walk-in freezer	12.00 Fahrenheit	
Cake	front cooler	41.00 Fahrenheit	
Milk	Walk-in cooler	40.00 Fahrenheit	
Water	3-comp sink	120.00 Fahrenheit	

Overall Comments:

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/3/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0282796 - KETTLE'E	Site Address 1610 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 09/19/2023
Program PR0424172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MOHAMMAD USMAN, YUSZRA CORPORATION	Inspection Time 14:30 - 16:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Sabir Mohammad

Signed On: September 19, 2023