

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210611 - 6 TO LATE #6		Site Address 690 S ALMADEN AV, SAN JOSE, CA 95110		Inspection Date 08/07/2026		Placard Color & Score GREEN 88		
Program PR0300035 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name 6 TO LATE INC		Inspection Time 12:10 - 13:30			
Inspected By ANABELLE GARCIA		Inspection Type ROUTINE INSPECTION		Consent By GURKIRAT SINGH				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0210611 - 6 TO LATE #6	Site Address 690 S ALMADEN AV, SAN JOSE, CA 95110	Inspection Date 08/07/2026
Program PR0300035 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name 6 TO LATE INC	Inspection Time 12:10 - 13:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: At the restroom hand wash sink:

- 1) No hand soap provided.
- 2) Paper towels are not stored within a dispenser. No paper towel dispenser provided.

[CA] Ensure hand soap is provided at all times. Provide a paper towel dispenser. Ensure paper towels are stored within dispenser at all times to prevent contamination.

[SA] Operator provided a hand soap pump for hand wash station.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: 1) Water temperature measured 86F at the restroom hand wash sink.

2) Water temperature measured 113F at the 3 comp sink and janitorial sink.

[CA] Hand washing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds. Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Milk gallons stored directly on walk in cooler floor.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Cardboard used to line walk in cooler floors.

[CA] Discontinue use of unapproved materials to line floors.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

- Inspector Observations: 1) Large hole in ceiling above storage shelf next to walk in cooler.**
2) Multiple gaps observe in ceiling in back storage room, where 3 comp sink is located.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

Performance-Based Inspection Questions

N/A

OFFICIAL INSPECTION REPORT

Facility FA0210611 - 6 TO LATE #6	Site Address 690 S ALMADEN AV, SAN JOSE, CA 95110	Inspection Date 08/07/2026
Program PR0300035 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name 6 TO LATE INC	Inspection Time 12:10 - 13:30

Measured Observations

Item	Location	Measurement	Comments
ice cream sandwich	top display freezer	-1.00 Fahrenheit	IR
queso fresco	display cooler - beer walk in cooler	38.00 Fahrenheit	IR
water	3 comp sink, janitorial sink	113.00 Fahrenheit	
ambient	walk in cooler	41.00 Fahrenheit	
whole milk	walk in cooler	43.00 Fahrenheit	IR, sealed container
water	restroom hand wash sink	86.00 Fahrenheit	
beef and bean burrito	display freezer	9.00 Fahrenheit	IR
ambient	beer walk in cooler	38.00 Fahrenheit	
raw shell eggs	beer walk in cooler	37.00 Fahrenheit	IR

Overall Comments:

Conducted in conjunction with complaint investigation: CO0160477

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/21/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Gurkirat Singh
PIC
Signed On: August 07, 2026