

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0205439 - ROMAN CAFE		Site Address 1075 TULLY RD 20, SAN JOSE, CA 95122		Inspection Date 01/31/2024	
Program PR0305894 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name KKHD LLC		Inspection Time 13:20 - 14:20
Inspected By HENRY LUU	Inspection Type ROUTINE INSPECTION		Consent By HIEN L.	FSC Khai Dang 11/15/2028	

Placard Color & Score
GREEN
85

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X				
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		X
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0205439 - ROMAN CAFE	Site Address 1075 TULLY RD 20, SAN JOSE, CA 95122	Inspection Date 01/31/2024
Program PR0305894 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name KKHD LLC	Inspection Time 13:20 - 14:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hot water faucet at the hand wash station in the kitchen observed seized and not turnable. [CA] Investigation cause and repair in an approved manner. Hot and cold water shall be supplied at hand wash station.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Chlorine sanitizer at the three-compartment sink measured at 50 ppm. [CA] Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hand wash station in the kitchen lacked warm water. Hand wash station inside the left side restroom lacked warm water. [CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Facility is using induction burners to prepare eggs for sandwiches as well as reheating noodle soups purchased from other facilities.

Facility lacks a dedicated ventilation hood and has not submitted a hood exemption form for the use of the induction burner.

[CA] Provide approved exhaust hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors.

Contact DEH for information regarding hood exemptions.

Remove induction burners until approval for use has been granted.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Numerous inoperable refrigerators used as storage space. [CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Build up of dust and debris observed on floors. [CA] Walls and/or floors in food preparation area shall be kept clean. Regularly clean under equipment to prevent accumulation of debris.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0205439 - ROMAN CAFE	Site Address 1075 TULLY RD 20, SAN JOSE, CA 95122	Inspection Date 01/31/2024
Program PR0305894 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name KKHD LLC	Inspection Time 13:20 - 14:20

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Pate	Food preparation refrigerator	40.00 Fahrenheit	
Milk	Four-door upright refrigerator	41.00 Fahrenheit	
Sliced fancy pork	Food preparation refrigerator	40.00 Fahrenheit	
Bean sprouts	Four-door upright refrigerator	41.00 Fahrenheit	
Hot water	Three-compartment sink	121.00 Fahrenheit	
Vietnamese mayonnaise	Food preparation refrigerator	41.00 Fahrenheit	

Overall Comments:

- *At time of inspection, customers were observed smoking inside facility.*
- *Smoking is prohibited inside facility.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/14/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Hien L
 Manager
Signed On: January 31, 2024