

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | | | | |
|--|--|---|--------------------------------------|--------------------------------------|---|--|--|------------------------------|
| Facility FA0212430 - JX CUISINE | | Site Address 3581 HOMESTEAD RD, SANTA CLARA, CA 95051 | | Inspection Date 03/12/2025 | | Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">94</div> | | |
| Program PR0300579 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | | | Owner Name JX CUISINE INC. | | Inspection Time 13:45 - 15:00 | | | |
| Inspected By FARHAD AMIR-EBRAHIMI | | Inspection Type ROUTINE INSPECTION | | Consent By TIEFU WANG | | | | FSC Mao Ye 7/16/27 |

| RISK FACTORS AND INTERVENTIONS | | IN | OUT | | COS/SA | N/O | N/A | PBI |
|--------------------------------|---|----|-------|-------|--------|-----|-----|-----|
| | | | Major | Minor | | | | |
| K01 | Demonstration of knowledge; food safety certification | X | | | | | | |
| K02 | Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 | No discharge from eyes, nose, mouth | X | | | | | | |
| K04 | Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 | Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 | Adequate handwash facilities supplied, accessible | X | | | | | | S |
| K07 | Proper hot and cold holding temperatures | X | | | | | | S |
| K08 | Time as a public health control; procedures & records | | | | | | X | |
| K09 | Proper cooling methods | | | | | X | | |
| K10 | Proper cooking time & temperatures | | | | | X | | |
| K11 | Proper reheating procedures for hot holding | | | | | X | | |
| K12 | Returned and reservice of food | | | | | X | | |
| K13 | Food in good condition, safe, unadulterated | X | | | | | | |
| K14 | Food contact surfaces clean, sanitized | X | | | | | | |
| K15 | Food obtained from approved source | X | | | | | | |
| K16 | Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 | Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 | Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 | Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 | Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 | Hot and cold water available | X | | | | | | |
| K22 | Sewage and wastewater properly disposed | X | | | | | | |
| K23 | No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | | OUT | COS |
|-----------------------|---|-----|-----|
| K24 | Person in charge present and performing duties | | |
| K25 | Proper personal cleanliness and hair restraints | | |
| K26 | Approved thawing methods used; frozen food | | |
| K27 | Food separated and protected | | |
| K28 | Fruits and vegetables washed | | |
| K29 | Toxic substances properly identified, stored, used | | |
| K30 | Food storage: food storage containers identified | | |
| K31 | Consumer self service does prevent contamination | | |
| K32 | Food properly labeled and honestly presented | | |
| K33 | Nonfood contact surfaces clean | | |
| K34 | Warewash facilities: installed/maintained; test strips | | |
| K35 | Equipment, utensils: Approved, in good repair, adequate capacity | | X |
| K36 | Equipment, utensils, linens: Proper storage and use | | |
| K37 | Vending machines | | |
| K38 | Adequate ventilation/lighting; designated areas, use | | X |
| K39 | Thermometers provided, accurate | | |
| K40 | Wiping cloths: properly used, stored | | |
| K41 | Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 | Garbage & refuse properly disposed; facilities maintained | | |
| K43 | Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 | Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 | Floor, walls, ceilings: built, maintained, clean | | X |
| K46 | No unapproved private home/living/sleeping quarters | | |
| K47 | Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|---|--|----------------------------------|
| Facility FA0212430 - JX CUISINE | Site Address 3581 HOMESTEAD RD, SANTA CLARA, CA 95051 | Inspection Date 03/12/2025 |
| Program PR0300579 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name JX CUISINE INC. | Inspection Time 13:45 - 15:00 |
| K48 | Plan review | |
| K49 | Permits available | |
| K58 | Placard properly displayed/posted | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Line cooler at 45F [CA] Monitor and maintain all coolers at 41F or cooler

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Hood and hood filters show heavy grease buildup [CA] Clean the hood and hood filters

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Floor under the cooking equipments shoes bedris and grease buildup [CA] Clean the floor

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|----------|----------------|-------------------|----------|
| Tofu | Line cooler | 45.00 Fahrenheit | |
| Chlorine | Dishwasher | 50.00 PPM | |
| Chicken | Freezer | 7.00 Fahrenheit | |
| Water | 3-comp sink | 131.00 Fahrenheit | |
| Meat | Walk-in cooler | 39.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| | |
|--------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |



Received By: Tiefu Wang

Signed On: March 12, 2025