

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209399 - MIAMI BEACH CLUB		Site Address 417 S 1ST ST, SAN JOSE, CA 95113		Inspection Date 12/12/2025	
Program PR0304172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name GIANT III ENTERTAINMENT L		Inspection Time 21:35 - 22:35
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION		Consent By ALEX	FSC Not Available	

Placard Color & Score
RED
63

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth					X		
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible		X					N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized		X					
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available		X					N
K22 Sewage and wastewater properly disposed		X					N
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0209399 - MIAMI BEACH CLUB	Site Address 417 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 12/12/2025
Program PR0304172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name GIANT III ENTERTAINMENT LLC	Inspection Time 21:35 - 22:35
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

1. **Handwash sinks in the bars are rendered inoperable due to overflowing sinks.**
2. **Handwash station at the middle bar lacked soap in the dispenser.**

[CA] All food facilities shall provide an operable handwashing station. Handwashing facilities shall be equipped with handwashing cleanser and single-use sanitary towels in dispensers.

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

Facility has no sanitizer available to facilitate proper warewashing.

[CA] Manual warewashing shall be accomplished by using a three-compartment sink where the utensils are first precleaned, washed with hot soapy water, rinsed with hot water, sanitized with an approved method, and air dried. Use 1 TBS of bleach (5.25%) per 1 gal. of water for chlorine solution (100 PPM). Use 1 tbs of quaternary ammonium (10%) per 2 gal. of water for quaternary ammonium (200 PPM).

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Facility lacks hot water at all plumbing fixtures throughout the facility.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks. Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations:

REPEAT VIOLATION: There is a sewage back up at the floor sink to the ice machine. The handwash station at the front bar is not draining. The handwash station at the middle bar is not draining.

[CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Facility lacks a food safety certificate.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

SECOND REPEAT VIOLATION: In the bar areas, the ice bins have tubes running through the ice for cold plates.

[CA] Ice intended for consumption shall not come in contact with materials that may lead to contamination.

OFFICIAL INSPECTION REPORT

Facility FA0209399 - MIAMI BEACH CLUB	Site Address 417 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 12/12/2025
Program PR0304172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name GIANT III ENTERTAINMENT LLC	Inspection Time 21:35 - 22:35

Performance-Based Inspection Questions

- Needs Improvement - Sewage and wastewater properly disposed.
- Needs Improvement - Adequate handwash facilities: supplied or accessible.
- Needs Improvement - Hot and cold water available.

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Whipped Cream	Upright Cooler	40.00 Fahrenheit	
Water	Handwash Sink - Front Bar	80.00 Fahrenheit	
Chlorine	Three Compartment Sink	100.00 Fahrenheit	
Water	Three Compartment Sink - Middle Bar	118.00 Fahrenheit	
Water	Handwash Sinks - Restrooms	60.00 Fahrenheit	
Water	Three Compartment Sink - Front Bar	80.00 Fahrenheit	
Water	Handwash Sink - Middle Bar	118.00 Fahrenheit	

Overall Comments:

Notes:

***** Facility is hereby closed due to lack of hot water, an active sewage back up at the only handwash sink, and lack of sanitizer*****

- Facility shall remain closed until hot water measuring 120F is provided to all plumbing fixtures, with the exception of handwash sinks measuring at 100F, all the drains are functioning properly with no back ups or overflows, all handwash sinks are fully stocked and operable, warewashing facilities are provided and authorization is provided by this department.

- The posted placard is property of the Santa Clara County Department of Environmental Health and shall not be removed, covered-up, relocated, tampered, or copied. Failure to comply may result in enforcement actions per County Ordinance Code Section B11-55.

- A facility found in continued operation without a permit may incur a penalty of three (3) times the operating permit fee, and fee(s) for re-inspection(s) charged at the current hourly rate approved by the Santa Clara County Board of Supervisors. Penalties and fees incurred due to enforcement activities must be paid in full prior to the issuance of an operating permit.

- Please contact district specialist, Alexander Alfaro (alexander.alfaro@deh.sccgov.org), or DEH main line at (408)918-3400 to schedule a follow up inspection. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

- Joint investigation with G. Vazquez.

- Spoke with PIC Alex. Per Alex he is a potential new owner and is in escrow. Ensure to submit a Facility Evaluation Application to this department.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0209399 - MIAMI BEACH CLUB	Site Address 417 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 12/12/2025
Program PR0304172 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name GIANT III ENTERTAINMENT LLC	Inspection Time 21:35 - 22:35

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Refused to sign

Signed On: December 12, 2025