

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208937 - A SLICE OF NEW YORK		Site Address 3443 STEVENS CREEK BL, SAN JOSE, CA 95117		Inspection Date 10/02/2026		Placard Color & Score GREEN 91		
Program PR0301195 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name KOMET VENTURES, LLC		Inspection Time 11:30 - 12:50			
Inspected By HINA WYNE		Inspection Type ROUTINE INSPECTION		Consent By MIGUEL RUBIO				FSC EMMA LE 4/17/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						S
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X	X			S
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208937 - A SLICE OF NEW YORK	Site Address 3443 STEVENS CREEK BL, SAN JOSE, CA 95117	Inspection Date 10/02/2026
Program PR0301195 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name KOMET VENTURES, LLC	Inspection Time 11:30 - 12:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot running water was measured 75F - 80F at different hand washing sinks.

[CA] Handwashing facilities equipped with a mixing valve that is not readily adjustable at the faucet, shall provide warm water at least 100°F, but not greater than 108°F.

[COS] PIC adjusted the water setting to minimum 100F.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Chlorine sanitizer solution was measured 50ppm at the 3-comp and 25ppm at the sanitizer bucket.

[CA] Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Dust was observed around the vent at the mop sink door.

[CA] Clean dust debris.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: A gap greater than 1/4" was in the janitorial room ceiling.

[CA] Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	HANDWASHING	100.00 Fahrenheit	
CHLORINE SANITIZER	BUCKET	25.00 PPM	
HOT WATER	JANITORIAL SINK	120.00 Fahrenheit	
CHEESE PIZZA	PIZZA CUBBY	80.00 Fahrenheit	TPHC
SUSAGE	UPLIST FREEZER	10.00 Fahrenheit	
TIRAMISU	REFRIGERATION	38.00 Fahrenheit	
HOT WATER	3-COMP SINK	120.00 Fahrenheit	
PEPERONI PIZZA	PIZZA CUBBY	82.00 Fahrenheit	TPHC
PEPERONI	PREP COOLER	40.00 Fahrenheit	
HOT WATER	FOOD PREP SINK	120.00 Fahrenheit	
TOMATOES	UNDER THE COUNTER	38.00 Fahrenheit	
	REFRIGERATION		
BEEF	PREP COOLER	41.00 Fahrenheit	
CHLORINE SANITIZER	3-COMP SINK	50.00 PPM	

Overall Comments:

Facility has a different capacity (NEW FP) and waiting for the new fee requirement.

OFFICIAL INSPECTION REPORT

Facility FA0208937 - A SLICE OF NEW YORK	Site Address 3443 STEVENS CREEK BL, SAN JOSE, CA 95117	Inspection Date 10/02/2026
Program PR0301195 - FOOD PREP / FOOD SVC OP. 6-25 EMPLOYEES RC 2 - FP13	Owner Name KOMET VENTURES, LLC	Inspection Time 11:30 - 12:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/16/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: MIGUEL RUBIO
PIC
Signed On: October 02, 2026