

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201570 - DRAEGER'S SUPERMARKET INC		Site Address 342 1ST ST, LOS ALTOS, CA 94022	Inspection Date 08/21/2025
Program PR0300460 - NO FOOD PREP 5,000-20,000 SQ FT - FP07		Owner Name DRAEGERS SUPERMARKET	Inspection Time 14:45 - 15:10
Inspected By ALELI CRUTCHFIELD	Inspection Type LIMITED INSPECTION	Consent By DAVE	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: *Observed on the bottom shelf of the paper product/pet food aisle, there was a small opening on one plastic package of bird food (seeds). A small pile of birds seeds were scattered throughout this shelf. It appears that a rodent gnawed through the package. No other evidence of rodent issues found at time of inspection. An empty rodent trap was found underneath a shelf closer to the paper products.*

[CA] *Remove open package of bird food and place a trap towards the back of the pet food shelf. Monitor this area and the trap daily.*

[COS] *Food was removed and cleaned up and trap was relocated to this area.*

Follow-up By
09/04/2025

Minor Violations

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: *Observed the following areas that have gaps larger than one inch:*

- The double swing doors located near the stairs (by loading dock)- There is a gap on the bottom and between the rubber edges of the door

- Dry storage in adjacent building near loading dock (floral items, food paper products, canned food, non food items). There are 2 windows boarded up with wood and have large gaps. A large hole (12 inches diameter) in the ceiling in the corner noted.

[CA] *Vermin proof these areas to eliminate entrance of rodents and other vermin. Seal the hole in the corner. Keep roll up loading dock door closed when deliveries are not being conducted.*

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/4/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201570 - DRAEGER'S SUPERMARKET INC	Site Address 342 1ST ST, LOS ALTOS, CA 94022	Inspection Date 08/21/2025
Program PR0300460 - NO FOOD PREP 5,000-20,000 SQ FT - FP07	Owner Name DRAEGERS SUPERMARKET INC	Inspection Time 14:45 - 15:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: David Staley
Store Director

Signed On: August 21, 2025