

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206113 - LYNDALE SCHOOL		Site Address 13901 NORDYKE DR, SAN JOSE, CA 95127		Inspection Date 02/27/2026		Placard Color & Score GREEN 100		
Program PR0300885 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name ALUM ROCK UNION EL SCH		Inspection Time 11:40 - 12:30			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By FRONT DESK				FSC Irma Martinez 9/9/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		S
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206113 - LYNDAL SCHOOL	Site Address 13901 NORDYKE DR, SAN JOSE, CA 95127	Inspection Date 02/27/2026
Program PR0300885 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name ALUM ROCK UNION EL SCHOOL DIST	Inspection Time 11:40 - 12:30

K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Chocolate milk	Milk cooler	38.00 Fahrenheit	
Cheese	Upright fridge	35.00 Fahrenheit	
Chicken Corn Dog	Oven	155.00 Fahrenheit	
Milk	Milk dispenser	41.00 Fahrenheit	
Drumstick	Oven	140.00 Fahrenheit	
Hot water	Two compartment sink	120.00 Fahrenheit	

Overall Comments:

- Note: 1. Food safety manager certificate: Irma Martinez - 9/9/2028**
- 2. The school receives its food products from the Facility receive food from Ocala Middle School kitchen located at 2800 Ocala Ave, San Jose CA 95148. It reheat and serve the food products, and any leftover is discarded after each shift. Milk is served from a dispenser.**
- 3. Facility has (2) 2-compartment sink that is directly plumbed. One sink shall be used for warewashing while the other shall be used for prepping. For the usage of prep sink, ensure to use either a container, tray, colander or some sort of equipment to store food inside while washing. Facility shall not directly place PHFs inside sink to prevent contamination.**
- 4. According to the USDA guideline, schools serving lunch through the School Lunch program must have a written HACCP plan in place. Please keep a copy in the cafeteria.**
- 5. No violation was observed during the time of this inspection.**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/13/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Irma Martinez
CNS

Signed On: February 27, 2026