

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0305402 - SAMMY'S MART		Site Address 702 E SANTA CLARA ST B, SAN JOSE, CA 95112		Inspection Date 02/14/2025	
Program PR0448388 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name HAMZEH ALSHARIF		Inspection Time 10:50 - 11:25
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION		Consent By VICKY	FSC Exempt	

Placard Color & Score
GREEN
86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification						X	
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed			X				
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented	X	
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned	X	
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0305402 - SAMMY'S MART	Site Address 702 E SANTA CLARA ST B, SAN JOSE, CA 95112	Inspection Date 02/14/2025
Program PR0448388 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name HAMZEH ALSHARIF	Inspection Time 10:50 - 11:25
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Water in the restroom was measured at 70F.

[CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations:

Facility is disposing of dirty mop water into a dirt lot as their mop sink is clogged.

Follow-up By
02/21/2025

Note: The mop sink is shared with the neighboring facility.

[CA] Mop water shall be disposed of in the janitorial sink or toilet facility.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations:

Facility has repackaged foods (tortillas, beans, lentils) that do not bear a label.

[CA] Food prepackaged in a food facility shall bear a label with the following: 1) common name of the food, 2) list of ingredients in descending order of predominance by weight, 3) quantity of contents, 4) name and place of business of the manufacturer, packer, or distributor.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

- 1. Facility has a non ANSI white chest freezer that is in disrepair. When opened the freezer gave an offensive odor.**
- 2. Facility has a 3 door sliding cooler that is in disrepair.**

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation). Ensure to maintain equipment in good repair.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

The mop sink is clogged.

[CA] Repair plumbing fixture and maintain in clean and good repair.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

OFFICIAL INSPECTION REPORT

Facility FA0305402 - SAMMY'S MART	Site Address 702 E SANTA CLARA ST B, SAN JOSE, CA 95112	Inspection Date 02/14/2025
Program PR0448388 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name HAMZEH ALSHARIF	Inspection Time 10:50 - 11:25

Inspector Observations:
The restroom door does not self-close.

[CA] Toilet rooms shall be separated by well-fitted, self-closing doors that prevent the passage of flies, dust, or odors.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Water	Hand Sink - Restroom	70.00 Fahrenheit	
Milk	Upright Cooler	41.00 Fahrenheit	
Produce	Upright Cooler	40.00 Fahrenheit	
Cheese	Upright Cooler	42.00 Fahrenheit	

Overall Comments:

Notes:

- Per Permit Conditions, facility is to not repackage foods. Cease the repackaging of foods immediately.
- Restroom is maintained by building owner/facilities.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/28/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Vicky Ramirez Hernandez
Cajera

Signed On: February 14, 2025