

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0287105 - IKITCHENS		Site Address 336 COMMERCIAL ST, SAN JOSE, CA 95112		Inspection Date 10/30/2025		Placard Color & Score GREEN 97
Program PR0430647 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name ESHA CORP		Inspection Time 12:45 - 13:30	
Inspected By MINDY NGUYEN	Inspection Type ROUTINE INSPECTION	Consent By VANDANA	FSC			

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification					X		
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly					X		
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated							
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source							
K16	Compliance with shell stock tags, condition, display					X		
K17	Compliance with Gulf Oyster Regulations					X		
K18	Compliance with variance/ROP/HACCP Plan							
K19	Consumer advisory for raw or undercooked foods							
K20	Licensed health care facilities/schools: prohibited foods not being offered							
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed							
K23	No rodents, insects, birds, or animals							

GOOD RETAIL PRACTICES						OUT	COS
K24	Person in charge present and performing duties						
K25	Proper personal cleanliness and hair restraints						
K26	Approved thawing methods used; frozen food						
K27	Food separated and protected						
K28	Fruits and vegetables washed						
K29	Toxic substances properly identified, stored, used						
K30	Food storage: food storage containers identified						
K31	Consumer self service does prevent contamination						
K32	Food properly labeled and honestly presented						
K33	Nonfood contact surfaces clean						
K34	Warewash facilities: installed/maintained; test strips						
K35	Equipment, utensils: Approved, in good repair, adequate capacity						
K36	Equipment, utensils, linens: Proper storage and use						
K37	Vending machines						
K38	Adequate ventilation/lighting; designated areas, use						
K39	Thermometers provided, accurate						
K40	Wiping cloths: properly used, stored						
K41	Plumbing approved, installed, in good repair; proper backflow devices						
K42	Garbage & refuse properly disposed; facilities maintained						
K43	Toilet facilities: properly constructed, supplied, cleaned						
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing						
K45	Floor, walls, ceilings: built,maintained, clean						
K46	No unapproved private home/living/sleeping quarters						
K47	Signs posted; last inspection report available						

OFFICIAL INSPECTION REPORT

Facility FA0287105 - IKITCHENS	Site Address 336 COMMERCIAL ST, SAN JOSE, CA 95112	Inspection Date 10/30/2025
Program PR0430647 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name ESHA CORP	Inspection Time 12:45 - 13:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured the restroom handsink's warm water to be 70F.

[CA] Provide warm water (100F) at the handsink.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	3-COMPARTMENT SINK	120.00 Fahrenheit	
WARM WATER	HANDSINK	100.00 Fahrenheit	
AMBIENT TEMPERATURE OF REFRIGERATORS	KITCHEN	41.00 Fahrenheit	
WARM WATER	RESTROOM HANDSINK	70.00 Fahrenheit	

Overall Comments:

4. 336 Routine inspection

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/13/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Vandana Gariney
Owner (iKitchens)
Signed On: October 30, 2025