

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0299358 - FIRE WINGS		Site Address 779 STORY RD 30, SAN JOSE, CA 95122		Inspection Date 05/18/2022	
Program PR0439313 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name FIRE WINGS STORY RD LLC		Inspection Time 15:35 - 16:50
Inspected By GUILLERMO VAZQUEZ	Inspection Type ROUTINE INSPECTION		Consent By SI D.	FSC Tony D. 9/15/25	

Placard Color & Score
<b>GREEN</b>
<b>90</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	X
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0299358 - FIRE WINGS	Site Address 779 STORY RD 30, SAN JOSE, CA 95122	Inspection Date 05/18/2022
Program PR0439313 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name FIRE WINGS STORY RD LLC	Inspection Time 15:35 - 16:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: Hand wash station next to prep sink has a damaged hot water valve.**

**[CA] Repair hand wash station next to prep sink.**

**[SA] Facility has an additional hand wash station next to cook line that could be used.**

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Inspector Observations: Warm water at hand wash station was measured at 70-92°F.**

**[CA] Hand washing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds. Adjust water heater for hand wash stations.**

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

**Inspector Observations: Unable to provide test strips for chlorine at the time of inspection.**

**[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitation method used during manual or mechanical ware washing.**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations: Two cutting knives placed in between the cover of the prep table and metal shielding.**

**[CA] Multi-use utensils will be stored in a way that the working part of the utensil may not become contaminated.**

**[COS] PIC moved the knives from service and placed into 3-compartment sink to be wash, rinse, sanitized.**

**Additional knives on site to be used.**

### Performance-Based Inspection Questions

N/A

### Measured Observations

Item	Location	Measurement	Comments
Raw chicken	Under counter refrigeration (cook line)	39.00 Fahrenheit	
Cut tomatoes	Prep table	41.00 Fahrenheit	
Warm water	Restroom	92.00 Fahrenheit	Adjust to 100°F.
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Cheese	Prep table #2	40.00 Fahrenheit	
Eggs	Walk in	36.00 Fahrenheit	
Raw chicken	Walk in	36.00 Fahrenheit	
Chicken	Heat lamp	178.00 Fahrenheit	
Ranch	Reach in	39.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Cooked chicken	Cook line	200.00 Fahrenheit	Final cook temperature.
Ambient	Reach in freezer	5.00 Fahrenheit	
Hot water	3-Compartment	120.00 Fahrenheit	
Fries	Reach in freezer#2	5.00 Fahrenheit	

### Overall Comments:


# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0299358 - FIRE WINGS	<b>Site Address</b> 779 STORY RD 30, SAN JOSE, CA 95122	<b>Inspection Date</b> 05/18/2022
<b>Program</b> PR0439313 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> FIRE WINGS STORY RD LLC	<b>Inspection Time</b> 15:35 - 16:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/1/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

<b>[CA]</b>	Corrective Action
<b>[COS]</b>	Corrected on Site
<b>[N]</b>	Needs Improvement
<b>[NA]</b>	Not Applicable
<b>[NO]</b>	Not Observed
<b>[PBI]</b>	Performance-based Inspection
<b>[PHF]</b>	Potentially Hazardous Food
<b>[PIC]</b>	Person in Charge
<b>[PPM]</b>	Part per Million
<b>[S]</b>	Satisfactory
<b>[SA]</b>	Suitable Alternative
<b>[TPHC]</b>	Time as a Public Health Control



---

**Received By:** Si D.  
PIC  
**Signed On:** May 18, 2022