

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202744 - NEW TUNG KEE NOODLE HOUSE #2		Site Address 481 E CALAVERAS BL, MILPITAS, CA 95035		Inspection Date 07/31/2025		Placard Color & Score GREEN 88		
Program PR0307323 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name LUU NEW TUNG KEE NOODL		Inspection Time 10:20 - 11:45			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By NGHIA				FSC Michael Luu 07/09/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food	X	
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202744 - NEW TUNG KEE NOODLE HOUSE #2	Site Address 481 E CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 07/31/2025
Program PR0307323 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name LUU NEW TUNG KEE NOODLE INC	Inspection Time 10:20 - 11:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

Soap dispenser at the handwash sink in the kitchen is broken. Soap in a pump bottle available nearby.

[Corrective Action] Replace the soap dispenser.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Warm water at the handwash sinks in the restrooms were measured between 65 - 72 degrees Fahrenheit.

[Corrective Action] Provide warm water between 100 - 108 degrees Fahrenheit at automatic faucets.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations:

Observed pork fat thawing on the shelf across from the mop sink.

[Corrective Action] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations:

Lighting in the walk-in cooler is very dim.

[Corrective Action] Provide adequate lighting.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

Cracked floor tiles near the mop sink.

[Corrective Action] Maintain floors in good condition.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	3 compartment sink	140.00 Fahrenheit	
hot water	handwash sink	120.00 Fahrenheit	
warm water	handwash sink - restrooms	69.00 Fahrenheit	automatic
chlorine sanitizer	dishwasher	50.00 PPM	
meatball, pork	walk-in cooler	37.00 Fahrenheit	
milk	2 sliding door upright cooler	41.00 Fahrenheit	
wonton	6 door island cooler	37.00 Fahrenheit	
meat	hot holding unit	155.00 Fahrenheit	

Overall Comments:

Rice noodles observed left out at room temp. Facility provided laboratory report that states "Product is generally used within a less than 24 hour period. This product will be refrigerated after 24 hours from production". Variance letter from the California Department of Public Health was not observed.


OFFICIAL INSPECTION REPORT

Facility FA0202744 - NEW TUNG KEE NOODLE HOUSE #2	Site Address 481 E CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 07/31/2025
Program PR0307323 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name LUU NEW TUNG KEE NOODLE INC	Inspection Time 10:20 - 11:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/14/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Nghia
PIC
Signed On: July 31, 2025