

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org

- No Signature



OFFICIAL INSPECTION REPORT

Facility FA0209557 - CHENNAI KING'S		Site Address 457 E SAN CARLOS ST, SAN JOSE, CA 95112	Inspection Date 04/26/2021
Program PR0302490 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name TIRUPARAM KUNDRAM INC	Inspection Time 11:30 - 12:30
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By ALEX	

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 04/23/2021

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 04/26/2021. See details below.

Measured Observations

N/A

Overall Comments:

SIGNATURE NOT OBTAINED DUE TO COVID-19 AND SOCIAL DISTANCING PARAMETERS. A COPY OF THIS REPORT WILL BE EMAILED TO THE OPERATOR.

FOLLOW UP INSPECTION FROM 4-23-21 IN WHICH A LIVE COCKROACH WAS FOUND INSIDE THE FOOD AND A FEW MORE DEAD COCKROACHES WERE FOUND THROUGHOUT THE FACILITY IN FOOD CONTACT SURFACES. THE 1ST COMPARTMENT OF THE WARE WASH SINK WAS COMPLETELY CLOGGED. THE SERVICE REFRIGERATOR WAS UNABLE TO KEEP THE POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. THERE WERE NO PAPER TOWELS IN THE HAND WASH SINK IN THE RESTROOM.

**FINDINGS: ALL VIOLATIONS WERE CORRECTED EXCEPT THE FOLLOWING:
THE WARE WASH SINK FIRST COMPARTMENT IS STILL COMPLETELY CLOGGED.
THE SERVICE REFRIGERATOR STILL SHOWS A TEMPERATURE OF 58F.**

DUE TO THIS, THE FACILITY WILL REMAIN CLOSED UNTIL THE ABOVE ITEMS HAVE BEEN CORRECTED. THE NEXT RE-INSPECTION WILL BE CHARGED AT \$219 PER HOUR, MINIMUM ONE HOUR.

**CONTINUE WORKING ON:
OBTAINING THE FOOD SAFETY CERTIFICATE FOR MANAGERS AND FOOD HANDLER CARDS FOR THE FOOD EMPLOYEES.
PROVIDE THE PAPER TOWELS INSIDE THE WALL DISPENSER AT ALL HAND WASH SINKS.
REPLACING THE CUTTING BOARD.
REMOVING THE COOKING EQUIPMENT THAT EXTENDS BEYOND THE HOOD CANOPY.
REMOVING THE UNUSED LARGE MIXER IN THE BACK OF THE BUILDING FROM THE PREMISES.**

OFFICIAL INSPECTION REPORT

Facility FA0209557 - CHENNAI KING'S	Site Address 457 E SAN CARLOS ST, SAN JOSE, CA 95112	Inspection Date 04/26/2021
Program PR0302490 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name TIRUPARAM KUNDRAM INC	Inspection Time 11:30 - 12:30

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/10/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control