

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282520 - TONGSUI		Site Address 540 BRYANT ST, PALO ALTO, CA 94301	Inspection Date 10/13/2022
Program PR0423731 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name WANG, ZIJING
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By KEVIN	
Inspection Time 15:45 - 16:00			

Placard Color & Score
YELLOW
N/A

Comments and Observations

Major Violations

Cited On: 10/13/2022

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Handwash sink located by the prep unit is obstructed and unaccessible. [CA] Handwash sinks shall be kept unobstructed and easily accessible to allow employees to properly wash hands as required. [COS] Employee removed cart that was obstructing the handwash sink.

Cited On: 10/13/2022

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Inspector Observations: Potentially hazardous food, boba, is subject to time as a public health control but are not time-marked to indicated the discard time. [CA] Potentially hazardous foods that are subject to time as a public health control shall be time-marked and discarded if not used within 4 hours. [COS] Employee time-marked the boba.

Cited On: 10/13/2022

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 10/13/2022

Minor Violations

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Hot water	three compartment sink	120.00 Fahrenheit	

Overall Comments:

Violation for lack of hot water has been corrected and verified. Facility is okay to reopen and resume operation.

An additional follow-up inspection for remaining major violation is scheduled for Tuesday 10/18/22

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/27/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0282520 - TONGSUI	Site Address 540 BRYANT ST, PALO ALTO, CA 94301	Inspection Date 10/13/2022
Program PR0423731 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name WANG, ZIJING	Inspection Time 15:45 - 16:00

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Kevin Ng
Manager

Signed On: October 13, 2022