

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0254460 - SUBWAY #51986		Site Address 150 S 1ST ST 181, SAN JOSE, CA 95113		Inspection Date 11/27/2024		Placard Color & Score GREEN 95		
Program PR0371178 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name CHASING FIREFLIES		Inspection Time 15:45 - 16:40			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By MARIA				FSC Phuong Tran 08/31/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures			X	X			
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0254460 - SUBWAY #51986	Site Address 150 S 1ST ST 181, SAN JOSE, CA 95113	Inspection Date 11/27/2024
Program PR0371178 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CHASING FIREFLIES	Inspection Time 15:45 - 16:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

In the walk in cooler deli meat slices and cheese slices were found above 41°F. Per staff they sliced the meat and cheeses around 10 am.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Several packs of orange juice bottles were stored on the top shelf directly under the fan of the walk in cooler. Ambient air of the cooler was measured at 38°F on the rack under the juices and measured at 46°F everywhere else including where the PHFs were stored. Staff relocated the orange juices and internal ambient temperatures of the walk in cooler dropped to 41°F within 15 minutes. PHFs were remeasured at 41°F roughly 20 -25 minutes after the juices were moved.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations:

The environmental health permit is not posted within public view.

[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Tuna Salad	Service Line - Cold Hold	40.00 Fahrenheit	
Water	Hand Sink - Back of House	100.00 Fahrenheit	
Quaternary Ammonia - Sanitizer	Three Compartment Sink	200.00 PPM	
Turkey - Slices	Walk in Cooler	43.00 Fahrenheit	Measured at 41°F after reorganizing Walk in Cooler.
Tomato - Slices	Service Line - Cold Hold	40.00 Fahrenheit	
Water	Three Compartment Sink	120.00 Fahrenheit	
Ambient Air	Walk in Cooler	39.00 Fahrenheit	Measured between 39-46°F. Average temperature was below 41°F after reorganizing cooler.
Meatballs	Steam Table	145.00 Fahrenheit	
Water	Restroom	100.00 Fahrenheit	
Chicken	Walk in Freezer	-19.00 Fahrenheit	

Overall Comments:


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/11/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0254460 - SUBWAY #51986	Site Address 150 S 1ST ST 181, SAN JOSE, CA 95113	Inspection Date 11/27/2024
Program PR0371178 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CHASING FIREFLIES	Inspection Time 15:45 - 16:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Maria Gonzalez
Person in Charge

Signed On: November 27, 2024