

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207980 - CAFE PARADISE		Site Address 2400 MONTEREY RD, SAN JOSE, CA 95111	Inspection Date 06/15/2023
Program PR0300483 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name THOMAS N GEORGE	Inspection Time 12:20 - 13:20
Inspected By GUILLERMO VAZQUEZ	Inspection Type LIMITED INSPECTION	Consent By MOLLY H.	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Unable to provide a food manger certification and food handler cards for the employees.
[CA] Obtain a food manger certification within 60-days and food handler cards within 30-days.

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station next to the cashier station is missing a mounted soap dispenser and paper towel dispenser.
[CA] Install a mounted soap dispenser and paper towel dispenser at the hand wash station.
[SA] Roll of paper towel and hand pump soap next to hand wash station.

2. Both restrooms have missing mounted soap dispensers.

[CA] Install a mounted soap dispenser.
[SA] Hand pump soap is next to hand wash station.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Facility installed nana walls at the dining area and kitchen area is not fully enclosed.
[CA] Kitchen must be fully enclosed at all time. Install door(s) to the entrance of the kitchen area to fully enclosed the kitchen.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Large whole on top of the water heater room.
[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

K48 - 2 Points - Plan review unapproved; 114380

Inspector Observations: Hood system is not allowed to be used until written authorization is given by this department. A final inspection must be conducted on the hood system by this department and any other agencies.
[CA] A person proposing to build or remodel a food facility shall submit plans and specifications for review and shall receive plan approval prior to starting any new construction or remodeling. Contact DEH at 408-918-3400 or at www.ehinfo.org to obtain plan check requirements.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0207980 - CAFE PARADISE	Site Address 2400 MONTEREY RD, SAN JOSE, CA 95111	Inspection Date 06/15/2023
Program PR0300483 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name THOMAS N GEORGE	Inspection Time 12:20 - 13:20

Measured Observations

Item	Location	Measurement	Comments
Warm water	Restroom	100.00 Fahrenheit	
Shelled eggs	Under counter refrigeration	39.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Pork	Prep table	39.00 Fahrenheit	
Hot water	3-Compartment	120.00 Fahrenheit	
Ambient	Reach in freezer	5.00 Fahrenheit	
Shelled eggs	Reach in	39.00 Fahrenheit	
Ham	Prep table	39.00 Fahrenheit	
Ambient	Freezer chest	5.00 Fahrenheit	Back storage area.
Raw steak	Reach in #2	39.00 Fahrenheit	
Milk	Reach in #2	39.00 Fahrenheit	
Rice	Reach in	39.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: Monterey Breeze

NEW OWNER: Yesenia Garcia

The applicant has completed the change of ownership application process for an Environmental Health Permit.

The permit category for this facility is FP_10. An invoice for the permit fee in the amount of \$789.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 7/1/23 - 6/30/24. This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

**Menu is going to be limited to cold sandwiches, coffee, and smoothies. Menu will be reevaluated during the final for the hood system.*

**Structural Review inspection conducted on 6/15/23*

**Permit condition: None*

**Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/29/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0207980 - CAFE PARADISE	Site Address 2400 MONTEREY RD, SAN JOSE, CA 95111	Inspection Date 06/15/2023
Program PR0300483 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name THOMAS N GEORGE	Inspection Time 12:20 - 13:20

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Molly H.
Manager

Signed On: June 15, 2023