

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230136 - HIMALAYAN MAGIC MASALA	Site Address 1600 SARATOGA AV 203, SAN JOSE, CA 95129	Inspection Date 01/16/2025
Program PR0330159 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HIMALAYAN MAGIC MASALA	Inspection Time 09:20 - 10:15
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By PAWAN

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 01/14/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 01/16/2025

Cited On: 01/14/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 01/16/2025

Cited On: 01/16/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: One live but slow moving cockroach was observed on shelf above the food prep sink.

[CA] Facility shall be kept free of vermin and vermin debris.

[COS] Cockroach was killed and removed by operator. Did not observed any other evidence of cockroaches in the facility.

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Cooked lamb	Walk-in cooler	40.00 Fahrenheit	
Raw chicken	Walk-in cooler	40.00 Fahrenheit	
Paneer	Walk-in cooler	40.00 Fahrenheit	
Ambient	Walk-in cooler	38.00 Fahrenheit	

Overall Comments:

Follow-up inspection for facility that was closed on 1/14/25 for cockroach infestation.

Facility received pest control treatment on 1/15/25. Reviewed service report that notes treatment was done at areas of concern including cracks and crevices. Service and treatment will continue weekly until the end of the month and will then move to a monthly service.

At time of inspection, one live but slow moving cockroach was observed on shelf above the food prep sink. Cockroach was killed and removed by operator. Did not observed any other evidence of cockroaches in the facility.

All areas in the kitchen has been cleaned and sanitized.

Gaps and crevices in areas where activity was previously observed has been sealed.

Facility is okay to reopen

This is a subsequent follow-up inspection and will be billed \$298.

OFFICIAL INSPECTION REPORT

Facility FA0230136 - HIMALAYAN MAGIC MASALA	Site Address 1600 SARATOGA AV 203, SAN JOSE, CA 95129	Inspection Date 01/16/2025
Program PR0330159 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HIMALAYAN MAGIC MASALA	Inspection Time 09:20 - 10:15

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/30/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Pawan Sharma
Manager

Signed On: January 16, 2025