

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0289948 - VONS CHICKEN BRANHAM		<b>Site Address</b> 1601 BRANHAM LN 10, SAN JOSE, CA 95118	<b>Inspection Date</b> 02/13/2025
<b>Program</b> PR0434876 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		<b>Owner Name</b> P&S BRANHAM, INC	<b>Inspection Time</b> 14:15 - 14:40
<b>Inspected By</b> HELEN DINH	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> KYUNG	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 02/04/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Compliance of this violation has been verified on: 02/13/2025**

Cited On: 02/04/2025

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

**Compliance of this violation has been verified on: 02/13/2025**

**Minor Violations**

Cited On: 02/04/2025

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Compliance of this violation has been verified on: 02/13/2025**

Cited On: 02/04/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**This violation found not in compliance on 02/13/2025. See details below.**

**Measured Observations**

Item	Location	Measurement	Comments
oven chicken	counter	98.00 Fahrenheit	under time as a public health control (TPHC)
kimchi fried rice	2 door upright	41.00 Fahrenheit	
hot water	warewash	120.00 Fahrenheit	
fried chicken	counter	67.00 Fahrenheit	between 67F - 103F. under TPHC
warm water	handsink (prep)	100.00 Fahrenheit	

**Overall Comments:**

**Upon follow-up inspection, measured cold PHFs holding at at below 41F, hot water at 120F at warewash sink and PHFs under time as a public health control (TPHC) time marked.**

**Review is still needed for EZ Cook device on counter at customer's area.**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/27/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0289948 - VONS CHICKEN BRANHAM	<b>Site Address</b> 1601 BRANHAM LN 10, SAN JOSE, CA 95118	<b>Inspection Date</b> 02/13/2025
<b>Program</b> PR0434876 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> P&S BRANHAM, INC	<b>Inspection Time</b> 14:15 - 14:40

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Kyung Gyun  
Owner

**Signed On:** February 13, 2025