

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257037 - SHAN INDO PAK RESTAURANT		Site Address 3739 EL CAMINO REAL, SANTA CLARA, CA 95051		Inspection Date 01/16/2024	
Program PR0375547 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name SHAN INDO PAK RESTAURAI		Inspection Time 13:25 - 15:00
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By ROBERTO	
FSC Not Available anager-certification/california\					

Placard Color & Score
RED
68

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures					X		
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed		X		X			
K23 No rodents, insects, birds, or animals		X					

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used	X	
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored	X	
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built,maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0257037 - SHAN INDO PAK RESTAURANT	Site Address 3739 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 01/16/2024
Program PR0375547 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name SHAN INDO PAK RESTAURANT LLC	Inspection Time 13:25 - 15:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: *Gray water from the mechanical dishwasher was being drained into the floor drain located in the middle of the kitchen.*

Follow-up By
01/16/2024

[CA] *Gray water must be disposed directly into the sewer line or into a floor sink located next to it. If the facility could not properly dispose the gray water from the mechanical dishwasher, it must stop using the mechanical dishwasher. The manager turned off the mechanical dishwasher (COS).*

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: *Many live and dead cockroaches were observed on the wall of the preparation kitchen, below the preparation sink, and below the handwash sink.*

Follow-up By
01/17/2024

[CA] *Eliminate dead and dead cockroaches from the facility by a legal method. Until the cockroaches are eliminated from the facility, the restaurant shall remain closed. Suzanne Lew, Supervising Registered Environmental Health Specialist approved the closure.*

Minor Violations

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: *Multiple food products stored inside the walk-in cooler do not have approved cover. Some open bag food products were stored on the shelf of in the dry storage area.*

[CA] *Store all open bag food products in properly labeled bulk containers.*

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: *Some household insecticides were observed back in the kitchen area.*

[CA] *Please stop using household chemicals to kill insects in the facility.*

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: *Some food products on boxes were stored directly on the floor or on milk crate back in the kitchen area.*

[CA] *To prevent insect hiding and breeding and for easy cleaning of the floor area, please store all food products at least six inches off the floor on approved shelf or dunnage rack*

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: *The ice scoop for the ice machine was stored on unclean surface.*

[CA] *All reusable utensils including the ice scoop must be stored on clean surface/container in between use.*

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: *The exhaust hood was being used for food preparation even though the screens were removed for cleaning.*

[CA] *Cleaning of the filters may only be conducted when the exhaust hood not being used for food preparation.*

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: *Couple of wet/soiled wiping cloths were stored on the counters.*

[CA] *Wet/soiled wiping cloths must be stored in a bucket that has standard sanitizer concentration in between use which is 200 ppm quaternary ammonia or 100 ppm chlorine (bleach).*

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

OFFICIAL INSPECTION REPORT

Facility FA0257037 - SHAN INDO PAK RESTAURANT	Site Address 3739 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 01/16/2024
Program PR0375547 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name SHAN INDO PAK RESTAURANT LLC	Inspection Time 13:25 - 15:00

Inspector Observations: *Couple of open cup employee drinks were stored on the preparation tables.*

[CA] *To prevent possible contamination, employees may only drink with covered cup container and store their drink in designated areas.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: *Food residue and slime buildup was observed on the floor and the floor sinks located below the preparation and wash sinks.*

[CA] *Conduct a thorough and regular cleaning on the floor areas.*

Excessive water accumulation was observed on the floor below the cutting table.

[CA] *Keep the floor areas neat, clean, and dry at all the time.*

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Beef stew	Stove	176.00 Fahrenheit	
Lentil	Upright fridge	39.00 Fahrenheit	
Chicken	Walk-in cooler	35.00 Fahrenheit	
Beef	Upright fridge	35.00 Fahrenheit	
Hot water	Three compartment sink	130.00 Fahrenheit	
Cheese	Preparation fridge	39.00 Fahrenheit	
Steamed rice	Steam table	135.00 Fahrenheit	

Overall Comments:

Note: *There is no food safety manager certified person.*

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/30/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Roberto Garcia
Cook

Signed On: January 16, 2024