

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209610 - MILOHAS		Site Address 4662 MERIDIAN AV, SAN JOSE, CA 95118	Inspection Date 01/14/2026
Program PR0305142 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name MILOHAS INC.	Inspection Time 13:40 - 14:00
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By ESPERANZA	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	Three compartment sink	120.00 Fahrenheit	
Warm water	Handwash	100.00 Fahrenheit	

Overall Comments:

Hot water heater has been repaired. Facility ok to open.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/28/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Esperanza Gudararama
Supervisor
Signed On: January 14, 2026