County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261773 - IC COCINA		Site Address 1208 E ARQUES AV 103, SUNNYVALE, CA 94085		Inspection Date 08/18/2023	Placard Color & Score
Program PR0383911 - FOOD PREP / FO	DOD SVC OP 0-5 EMPLOYEES RC 3	3 - FP11	Owner Name MBHR ENTERPRISES INC.	Inspection Time 14:35 - 15:00	GREEN
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type FOLLOW-UP INSPECTION	Consent By KARINA PEREZ			N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 08/07/2023

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 08/18/2023

Measured Observations

N/A

Overall Comments:

Line cooler is now at 39F. Monitor and maintain unit at 41F or cooler.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>9/1/2023</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action		15
[COS]	Corrected on Site		
[N]	Needs Improvement		•
[NA]	Not Applicable		
[NO]	Not Observed	Received By:	KARINA PEREZ
[PBI]	Performance-based Inspection		
[PHF]	Potentially Hazardous Food	Signed On:	August 18, 2023
[PIC]	Person in Charge		
[PPM]	Part per Million		
[S]	Satisfactory		
[SA]	Suitable Alternative		

[TPHC] Time as a Public Health Control