

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209449 - CATRACHO RESTAURANT	Site Address 4278 SENTER RD #5, SAN JOSE, CA 95111	Inspection Date 10/29/2025
Program PR0302931 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name OLGA DE ARO S.	Inspection Time 12:45 - 13:50
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By OLGA DE AROS

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/29/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: FOUND TOMATO SALSA AT 51F, MILK AT 50F, EGGS AT 53F AND BEANS AT 52F IN THE REACH IN REFRIGERATOR STORED OVERNIGHT. [CA] STORE COLD POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. SEE VC&D. THE FOOD STORED IN THIS REFRIGERATOR LESS THAN 4 HRS CAN BE RELOCATED TO A WORKING REFRIGERATOR.

Minor Violations

Cited On: 10/27/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 10/29/2025. See details below.

Cited On: 10/29/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: THE REACH IN REFRIGERATOR IS UNABLE TO KEEP THE POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. [CA] REPAIR OR REPLACE REFRIGERATOR.

Follow-up By

11/07/2025

Measured Observations

Item	Location	Measurement	Comments
EGGS	REACH IN REFRIGERATOR	53.00 Fahrenheit	
BEANS	REACH IN REFRIGERATOR	52.00 Fahrenheit	
MILK	REACH IN REFRIGERATOR	50.00 Fahrenheit	
SALSA	REACH IN REFRIGERATOR	51.00 Fahrenheit	

Overall Comments:

FOLLOW UP INSPECTION FROM 10-27-25 IN WHICH THERE WERE NO PAPER TOWELS AT THE ONLY HAND WASH SINK IN THE KITCHEN, THE REACH IN REFRIGERATOR IN THE COOKING AREA WAS NOT WORKING AND THE FOOD INSIDE WAS AT ABOVE 50F. AND THERE WAS POTENTIALLY HAZARDOUS FOOD ON THE COUNTER IN THE KITCHEN AT 63F.

FINDINGS: ALL THE VIOLATIONS WERE CORRECTED EXCEPT THE REFRIGERATOR WAS STILL NOT REPAIRED AND IT WAS USED TO STORE POTENTIALLY HAZARDOUS FOOD IN IT.

THE NEXT RE-INSPECTION WILL BE CHARGED.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/12/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0209449 - CATRACHO RESTAURANT	Site Address 4278 SENTER RD #5, SAN JOSE, CA 95111	Inspection Date 10/29/2025
Program PR0302931 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name OLGA DE ARO S.	Inspection Time 12:45 - 13:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Olga de Aro

Received By: OLGA DE ARO
OWNER
Signed On: October 29, 2025